

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
14 June 2001 (14.06.2001)

PCT

(10) International Publication Number  
**WO 01/41822 A1**

(51) International Patent Classification<sup>7</sup>: **A61L 24/00**,  
24/08, 27/20, 27/24, 27/32, 27/52, A61K 9/00, 47/36,  
C08L 5/08

(21) International Application Number: **PCT/CA00/01492**

(22) International Filing Date: 8 December 2000 (08.12.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/169,954 9 December 1999 (09.12.1999) US

(71) Applicant (for all designated States except US): **BIOSYN-  
TECH CANADA INC. [CA/CA]**; 475 Boul. Armand-  
Frappier, Laval, Québec H7V 4A7 (CA).

(72) Inventors; and


(75) Inventors/Applicants (for US only): **CHAPUT, Cyril**  
[FR/CA]; 3333-316 Jean-Talon Ouest, Montréal, Québec  
H3R 2G1 (CA). **CHENITE, Abdellatif [CA/CA]**; 28, rue  
Béthune, Kirkland, Québec H9H 4H6 (CA).

(74) Agents: **CAWTHORN, Christian et al.**; Swabey Ogilvy  
Renault, Suite 1600, 1981 McGill College Avenue, Mon-  
tréal, Québec H3A 2Y3 (CA).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,  
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,  
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,  
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,  
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,  
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

[Continued on next page]

(54) Title: **MINERAL-POLYMER HYBRID COMPOSITION**



(57) Abstract: Self-forming hybrid compositions consisting in admixed liquid and solid components enable the formation of bio-materials. The present invention proposes a) a thermo-sensitive self-forming liquid component, being water-based and containing at least a polycationic polymer such as chitosan, and an organic mono-phosphate source, which is a solution at a pH ranging from 6.5 to 7.4; b) a solid component being mineral and composed of at least one of calcium, fluoride, strontium, carbonate and phosphate salts. Solid mineral salts preferentially have a recognized bioactive potential such as the calcium phosphate salts for bones. Both solid and liquid components are admixed to form an injectable liquid slurry or pre-gelled paste that turns in situ into a hybrid uniform gel-like bio-material.

WO 01/41822 A1

BEST AVAILABLE COPY

40



(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

— Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

**Published:**

— With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

## MINERAL-POLYMER HYBRID COMPOSITION

**BACKGROUND OF THE INVENTION**

## 5 (a) Field of the Invention

The invention relates to the preparation and use of injectable self-forming mineral-polymer hybrid compositions for repairing, replacing or therapeutically treating tissues and body parts. More particularly, the present invention proposes self-gelling mineral-polymer hybrid  
10 formulations. More specifically, the present invention comprises self-gelling mineral-polymer hybrid formulations that comprises osteoconductive or osteoinductive agents, drugs or therapeutic and/or healing-accelerator components.

## (b) Description of Prior Art

15 A large quantity of bio-materials have been introduced for hard-tissue repair and formation, including natural or synthetic materials, pure organic or inorganic materials, and organo-inorganic biohybrid or hybrid materials.

Conductive hard-tissue implants are passive bio-materials that  
20 provide a matrix to favor and support a new hard-tissue ingrowth and repair. They generally do not provide any osteogenesis property, in the meaning that such materials do not supply, by themselves, any osteogenesis or hard-tissue inductive factors, or any hard-tissue healing accelerators. Conductive structures have typically to favor the own  
25 ingrowth and reorganization of hard-tissues (Ex: osteoconductive materials).

The main constituent of hard-tissues is biological apatite that is commonly found in bone and teeth (65-98%). Calcium and phosphate ions are commonly contained in body fluids and mineral contents of hard  
30 tissues, including bones, dentine and dental enamel. They may also additionally contain other constituents such as carbonates, magnesium or sodium. Hydroxyapatite is generally recognized as being a calcium phosphate material with a crystal structure very close to biological apatite. Calcium phosphates, and some other ceramics, were found to be very  
35 useful biocompatible materials for hard-tissue repair. Today, a large family of ceramic bio-materials having different forms is available for repairing

hard-tissues, and includes calcium phosphates, calcium carbonates, bioglasses and pure natural minerals.

#### **Bone Repair and Formation**

Conductive matrices for hard-tissue repair are designed to provide adequate compositions and architectures that favors the ingrowth of hard-tissue by its own. These matrices are inserted into a defect, thus contacting mature hard-tissue cells that are capable of invading the repairing matrix and forming mineral networks to complete tissue ingrowth. Typical examples are generally related to osteoconductive materials for bone tissues.

Conductive hard-tissue implants have received a considerable attention, particularly in bone surgery. Grafting materials for defect filling and bone repair include autografts, xenografts, demineralized bone matrix, porous ceramics such as calcium phosphates, calcium carbonates, coral, nacre, bioglasses, organic matrices (polymers, collagen and other biological macromolecules) as well as organo-inorganic biohybrid or hybrid materials such as organo-apatites.

Implants for filling and repairing defects are currently solids, sometimes gels and hydrogels that enable the ingrowth and conduction of the hard-tissue. Porous or plain solids may be used. Plain solid implants stimulate hard-tissue ingrowth through their own resorption. Porosity may be inherent to the material architecture (true porosity), or be interstitial.

Calcium phosphates have been the preferred bone bio-materials. In a large number of animal and human studies, they have been shown to be biocompatible, and bone growth promoters. Targeted calcium phosphate ceramics are tricalcium phosphates, amorphous calcium phosphate, octacalcium phosphate, and apatitic compounds. Hydroxyapatite  $[\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2]$ , calcium-deficient apatite, fluorinated apatite  $[\text{Ca}_{10}(\text{PO}_4)_6\text{F}_2]$ , and carbonated apatite  $[\text{Ca}_{10-x}\text{Ha}_x(\text{PO}_4)_6-x(\text{CO}_3)_x(\text{OH})_2]$  are the most representative apatitic compounds. Synthetic or sintered apatites may be prepared.

Most calcium phosphate ceramics are prepared as granules or block materials. Block materials can be prepared with various geometries such as rods, cylinders, rectangular shapes, etc. However, ceramic blocks must be re-shaped before implantation to fit exactly the defect size and

geometry, which makes heavier and longer the handling and clinical application. Furthermore, calcium phosphate blocks are very brittle and difficult to shape, and consequently the interface between the bone tissue and ceramic implant is not perfectly continuous which may impair the osteoconduction efficiency. Calcium phosphate granules are currently produced with a wide size distribution, and available from 10 microns to 2.5 mm, but preferably used with a size between 90 and 400 microns. Granules can be injected, or at least administered through less invasive techniques, so as to fulfill the tissue defect. But granules have a mobility problem *in situ*, which limits their use and efficiency.

Ceramics such as calcium carbonates, coral or nacre are equally proposed under granular or block form, and present similar problems. Bioglasses are generally under granular or microspheric form (Bioglass®, USBio-materials; Biogran®, Orthovita; Perioglass®).

Typical commercial ceramic materials used as osteoconductive materials are for example apatite such as SurgiBone® (Unilab), Osteogen® HA Resorb (Impladent), Periograf®, Alveograft®, ProOsteon® (Interpore), Cerapatite® (Ceraver-Osteal), Ossatite® (MCP), Synatite® (SBM), Ceros®, Interpore® 200 (Interpore), OrthoMatrix™ HA-1000™ and HA-500™, Bio-Oss® (Osteohealth), Calcitite 2040®, Ceros 80® (Matthys), Durapatite®, Apafil-G® (Biomat), HAP Coralina®, Endobon® (Merk), Pyrost® (Osteo), or tricalcium phosphate such as Ceros 82®, Synthograft®, Bioresorb® (SBM), Calciresorb® (Ceraver-Osteal), or a mixture of hydroxyapatite and tricalcium phosphate (biphasic calcium phosphate) such as Triosite® (Zimmer), Ceraform® (Teknimed), Eurocer® (Bioland), BCP® (Bioland), Ostilit® (Howmedica), or coral such as BioCoral® (Inoteb).

Collagen, a component of soft- and hard-tissues, and Bone Demineralized Matrix (BDM) are the current organic materials for filling hard-tissue defects. Collagen was associated with mineral to form hybrid materials such as Collagraft® (NeuColl), Cerapatite-Collagen® (Ceraver-Osteal), Ossatite® composite (MCP) or Collapat® (Osteo).

Polymeric materials such as polylactic acid, polyglycolic acid, polylactic-co-glycolic acid microspheres, and the like, were also proposed for bone defect filling and repair, but are less current than calcium

phosphate granular materials. One new development is Immix® (Osteobiologics) bone grafting material based on polylactic acid/glycolic acid (PLA/GA).

#### **Osteoinduction**

5           Osteogenesis factors are generally supplied by surrounding living tissues and blood supply in the vicinity of the hard-tissue implant. It would be highly desirable to propose a hard-tissue repair matrix that combines the ingrowth promotion of newly-formed hard-tissue tissue and the inductive action, for example, an implant material that allows  
10   osteoconduction and osteoinduction. The exact mechanism of hard-tissue formation is complex and not perfectly understood, but it is clear that a certain number of biochemical factors are involved in hard-tissue formation and mineralization. Repair of hard-tissues is induced by the maturation of progenitor cells into the expected functional tissue cells. For bone,  
15   osteogenesis is reached when osteoprogenitor cells are converted into bone cells that are active to form mineralization and bone tissues. It can be stated that osteogenesis can be obtained *in situ* through different actors: a) the osteoprogenitor cells that once converted will form bone repairing-forming cells ; b) the inductive biochemical environment that will stimulate  
20   the conversion and maturation of osteoprogenitor cells and modulate the bone formation and repair response; and c) the conductive bone repairing matrix that will support the formation of new bone tissues and mineralized networks.

          Osteogenic stimulation can be first elicited by bone progenitor  
25   cells (osteoprogenitors). Marrow Stroma Cells (MSCs) are recognized as being the precursor cells of hard and connective tissues. Hematopoietic stem cells from bone marrow are also providers of osteoprogenitor cells and promoters of osteogenesis. The injection of bone marrow preparations, with or without carriers, has been described to stimulate  
30   osteogenesis and bone repair. The ability of bone marrow to form bone is well-known, and clinically used. Administration of bone marrow through demineralized bone matrix, collagen or hydroxyapatite materials is also observed for repairing bone defects. Retransplantation of MSCs into poorly healing bone is currently viewed as potentially enhancing the repair  
35   process.

Cytokines are bioactive proteins that act on cells adjacent to the cell where it is elaborated. Cytokines and bone proteins have been intensively studied in terms of inductive or healing accelerating effects on hard-tissues, and especially on bone, including "bone-derived  
5 osteogenesis proteins" (bOP), "bone morphogenic proteins" (BMP) and "growth and differentiation factors" (GDF). BMPs and GDFs from the Transforming Growth Factor-beta gene super-family have been extensively investigated and used for bone formation and repair. Transforming Growth Factor-beta (TGF-beta), Fibroblast Growth Factors (FGF, a-b), and  
10 Platelet-Derived Growth Factors (PDGF, A-B) have been proven useful during fracture healing, thus acting at different steps of fracture healing, including the initial injury response, the intramembraneous ossification, the chondrogenesis or the endochondral ossification.

Commercial developments in osteoinductive or osteoregulating  
15 agents comprise rhBMP-2 (Genetic Institute), Ne-Osteo (Sulzer Orthopedics, Biologics), OP-1 (Stryker Biotech), Indian Hedgehog inducing molecule (Ontogeny) and Plasmid DNA (Matrigen).

One key-step in using biological inductive actors is the clinical administration and dosing. Furthermore, bio-materials development for  
20 reaching minimally-invasive administration, easiness of application and optimal induction-conduction of hard-tissues is still running, and is a matter of great interest.

The administration to bone of DNA or genetically-modified cells such as MSCs are potential avenues to treat durably hard-tissue  
25 deficiencies. When released *in-situ*, DNA is taken up by the granulation cells which become drug dispensing agents and stimulate formation of hard-tissues. DNA can be dispensed during the granulation component of healing, thus enabling the control of the protein expression for days and weeks and allowing a control of the sequence of events that normally take  
30 place in hard-tissue formation. It may be particularly attractive for patients with hard-to-heal fractures or imperfect bone healing. Genetic reprogramming of MSCs so as to express specific proteins may be used therapeutically for hard-tissues as well as for other connective tissues as in the case of deficiencies in circulating proteins. Re-transplantation of

genetically-modified MSC cells is a way to control or cure diseases at the genetic level.

Diseases and/or deficiencies associated to hard-tissues may necessitate both a filling, a repair and a local therapeutic treatment, e.g. a partial resection of bone tissue and/or a localized application of therapeutics. Antibiotic, anti-inflammatory, anticancer, antiviral, antimicrobial and/or antibacterial agents may be administrated to hard-tissue sites, e.g. anticancer/antitumor agents introduced in a defect surgically made for resecting a bone tumor. The agent will act so as to prevent or control the recurrence of the tumor in bone.

#### **Injectable Bone Substitutes**

Injectable systems were introduced for healing, repair and formation of bone through less invasive and traumatic techniques such as percutaneous methods. Different bio-material concepts have been proposed, and may be classified as follows: a) the pharmaceutical vehicles for bone treatment (Ex: gels); b) the hybrid bone filling/grafting materials (Ex: injectable ceramic/polymer composites); and c) the self-setting bone substitute (Ex: injectable bone cements).

Hyaluronic acid-based gels were proposed for delivering growth factors (OssiGel™) such as basic FGF, thus acting to accelerate fracture healing. Matrigel and Collagen gels were introduced to support and deliver DNA (gene therapy) for hard-tissues (Matrigen™). Those materials are pure organic vehicles, with no mineral content, and no self-forming action.

Particulate solids made of polymers, ceramics or inorganics are currently known as potential injectable materials for defect filling, and to some extent, carrying and delivering systems for soft- and hard-tissues. But injectable granular materials are highly mobile causing problems *in situ*.

Injectable hybrid bone materials were proposed from granular solids such as, and particularly with, calcium phosphate ceramics dispersed and homogenized in an organic fluidic matrix. Blood and physiological fluid were currently used as the carrier, but do not form really a matrix. Biological sealants such as the fibrin glue were proposed as a matrix to develop a ceramic composite bone material (Sedel et al., *J. Biomed. Mat. Res. (Appl. Biomat.)*, 43:38-45, 1998; and Wilson et al., *Bio-*



*materials*, 15:601-608, 1993). Poly(propylene fumarate) [PPF] based matrix was also promoted to carry ceramics and form bone composite materials (Mikos et al., *J. Biomed. Mat. Res.*, 44:314-321, 1999). Gelatin was used similarly in Ossatite® (Medical Calcium Phosphate Laboratories, France) injectable bone product (Griffet et al., *Bio-materials*, 20:511-515, 1999). Cellulosics, and especially cellulosic ethers such as hydroxypropyl methylcellulose (HPMC), are currently investigated as a promising carrier/matrix in injectable bone composite materials (Daculsi et al., *J. Biomed. Mat. Res.*, 47:28-35, 1999; Dupraz et al., *Bio-materials*, 20:663-673, 1999; and Grimandi et al., *J. Biomed. Mat. Res.*, 39:660-666, 1998). Daculsi et al. (US Patent No. 5,717,006) was promoting cellulosics for processing composite bio-materials that contain 40 to 75% by weight of a mineral content. This mineral content was a blend of hydroxyapatite [ $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$ ] and beta-tricalcium phosphate, or calcium titanium phosphate [ $\text{Ca}(\text{Ti})_4(\text{PO}_4)_6$ ].

Injectable hybrid compositions for hard-tissues were proposed (US Patent No. 5,352,715), where a ceramic matrix comprising particles between 50 and 250 microns was dispersed in the fluid carrier. Fluid carrier and nonceramic compounds were selected from collagen, polyethylene glycol, glycerol or succinylated collagen. Collagen was promoted in many systems (US Patent No. 4,795,467; and US Patent No. 5,071,436). Ceramic was generally calcium phosphates such as apatites or tricalcium phosphate (US Patent No. 6,027,742). Bioactive agents were potentially incorporated in the hybrid composition. Another injectable system was presented by Hench et al. (US Patent No. 5,840,290), consisting in a suspension of bioglasses in a Dextran aqueous solution. Bioglass particles were 90 to 250 microns in size, consisting in 45S5 (Orthovita) glass composition. Fibrin glue and PPF organic matrices were self-forming *in situ*, but none of these composites were self-setting or self-hardening materials *in situ*.

Chitosan was admixed in many liquid components of calcium phosphate cement compositions. Chitosan in citric, malic, or phosphoric acid aqueous medium was the liquid component of a self-setting tricalcium phosphate (TCP) or tricalcium phosphate/tetracalcium phosphate (TCP/TTCP) cement (US Patent Nos. 5,281,404 and 5,180,426). Chitosan

in bone cements or substitutes was also studied in the scientific literature, as reported by Leroux et al. (*Bone*, Vol. 25, No 2, supplement, 1999:31S-34S), Hidaka et al. (*J. Biomed. Mat. Res.*, 46:418-423, 1999), and Ito (*Bio-materials*, 12:41-45, 1991).

5 Osteoconduction and osteogenic performances of chitosan based materials were reviewed, and applied to bio-materials development. Chitosan with immobilized polysaccharides such as heparin, heparan sulfate, chondroitin sulfate and dextran sulfate was reported for stimulating hard-tissue regeneration by Hansson et al. (International Patent  
10 Publication WO96/02259). Osteoinductive compositions were also developed by admixing hydroxyapatite and bone-derived osteoinductive gelatin to chitosan solutions (US Patent No. 5,618,339).

The osteoconduction and osteogenic performances of chitosan was also investigated *in vitro* and *in vivo* (Hidaka et al., *J. Biomed. Mat.*  
15 *Res.*, 46:418-423, 1999; and Klokkevold et al., *J. Periodont.*, 67:1170-1175, 1996).

It would be highly desirable to be provided with an *in situ* self-forming mineral-polymer hybrid composition containing genetically-modified MSCs for treating specific hard-tissue deficiencies or diseases  
20 such as brittle bone disease, osteoporosis, Paget's diseases, dysplasia, osteogenesis imperfecta, and the like.

It would be highly desirable to be provided with self-forming mineral-polymer hybrid compositions that are applied to substances, defects or cavities of (soft- or hard-) tissues, or to any anatomical  
25 structures of tissues, or any body cavities, thus enabling the formation *in situ* of a group of bio-materials having distinct compositions, functions and properties.

## SUMMARY OF THE INVENTION

30 One aim of the present invention is to provide a self-forming mineral-polymer hybrid compositions that are applied to substances, defects or cavities of (soft- or hard-) tissues, or to any anatomical structures of tissues, or any body cavities, thus enabling the formation *in situ* of a group of bio-materials having distinct compositions, functions and  
35 properties.

In accordance with the present invention there is provided a new injectable *in situ* self-forming mineral-polymer compositions that can be conveniently used for tissue repair, replacement or treatment in mammals or humans. Its simplest form is a polymeric aqueous solution composed of an acid-soluble polymer and a water-soluble organic mono-phosphate source having the special property of being endo-thermally sensitive. It forms the basis of the liquid component of all compositions and resulting materials described in the present invention. This endothermally sensitive property results in intrinsic thermo-gelling property, excluding any use of covalent crosslinking or organic solvent, has been presented by Chaput et al.

In accordance with the present invention there is provided an *in situ* self-forming mineral-polymer hybrid composition comprising:

- a) a water-based and thermo-gelling liquid component comprising at least one hydrosoluble cationic polymer, one organic mono-phosphate source, and optionally one water-soluble organic mono-sulfonate, mono-sulfate or mono-carboxylate source; said liquid component having a pH between 6.5 and 7.4; and
- b) a water non-soluble solid component comprising at least one of calcium, fluoride, strontium, carbonate and phosphate salts, wherein said liquid component and solid component are admixed together intimately to form a non-hardening thermo-gelling hybrid composition; said hybrid composition gelling at the body temperature.

The liquid component can be prepared from organic and/or inorganic acids, including malic acid, propionic acid, phosphoric acid, organophosphoric acid, glycerophosphoric acid, lactic acid, hydrochloric acid, ascorbic acid, formic acid, acetic acid, and the like.

The polymer can be a cationic hydrophilic polysaccharide bearing amino groups, including partially-deacetylated chitosans, and pure chitosan.

The polymer can be a partially-deacetylated chitosan with a degree of deacetylation between 30 and 99%.

The liquid component can comprise a second soluble polymer selected among polypeptides, cellulose and synthetic polymers, including collagen, methyl cellulose, hydroxyethyl cellulose, hydroxypropyl cellulose,

hydroxyethyl propylcellulose, hydroxymethyl propylcellulose, poly(ethylene oxide), poly(propylene oxide), poly(ethylene glycol), poly(vinyl pyrrolidone) poly(vinyl alcohol), or derivatives thereof, or a mixture thereof.

5 The organic mono-phosphate, mono-sulfonate, mono-sulfate and mono-carboxylate sources of said liquid component may have a basic character and a pKa between 6.0 and 7.4.

The organic mono-phosphate source can be selected from the group consisting of  $\text{Na}_2\text{PO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{Fe}_2\text{PO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{K}_2\text{PO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{MgPO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{MnPO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{Ca}_2\text{PO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{Na}_2\text{PO}_7\text{C}_3\text{H}_7$ ,  $\text{Na}_2\text{PO}_7\text{C}_4\text{H}_7$ ,  $\text{K}_2\text{PO}_7\text{C}_4\text{H}_7$ ,  $\text{NaPO}_7\text{C}_4\text{H}_8$ ,  $\text{K}_2\text{PO}_7\text{C}_4\text{H}_8$ ,  $\text{Na}_2\text{PO}_8\text{C}_5\text{H}_9$ ,  $\text{K}_2\text{PO}_8\text{C}_5\text{H}_9$ ,  $\text{NaPO}_8\text{C}_5\text{H}_{10}$ ,  $\text{KPO}_8\text{C}_5\text{H}_{10}$ ,  $\text{Na}_2\text{PO}_9\text{C}_6\text{H}_{11}$ ,  $\text{NaPO}_9\text{C}_6\text{H}_{12}$ ,  $\text{K}_2\text{PO}_9\text{C}_6\text{H}_{11}$ ,  $\text{KPO}_9\text{C}_6\text{H}_{12}$ ,  $\text{Na}_2\text{PO}_8\text{C}_6\text{H}_{13}$ ,  $\text{K}_2\text{PO}_8\text{C}_6\text{H}_{13}$ ,  $\text{NaPO}_8\text{C}_6\text{H}_{14}$ ,  $\text{KPO}_8\text{C}_6\text{H}_{14}$ ,  $\text{Na}_2\text{PO}_9\text{C}_6\text{H}_{12}$ ,  $\text{K}_2\text{PO}_9\text{C}_6\text{H}_{12}$ ,  $\text{NaPO}_9\text{C}_6\text{H}_{13}$ ,  $\text{KPO}_9\text{C}_6\text{H}_{13}$ ,  $\text{Na}_2\text{PO}_8\text{C}_{10}\text{H}_{11}$ ,  $\text{K}_2\text{PO}_8\text{C}_{10}\text{H}_{11}$ ,  $\text{NaPO}_8\text{C}_{10}\text{H}_{12}$ ,  $\text{KPO}_8\text{C}_{10}\text{H}_{12}$  and the like, and derivatives, or mixtures thereof.

15 The organic mono-phosphate source can be alpha-glycerophosphate, beta-glycerophosphate, glucose-1-phosphate, glucose-6-phosphate, fructose-1-phosphate, or fructose-6-phosphate salt, or a mixture thereof.

20 The organic mono-sulfonate source can be N-[carbamoylmethyl]-2-aminoethanesulfonate (ACES), N,N-bis[2-hydroxyethyl]-2-aminoethane-sulfonate (BES), 3-[N,N-bis(2-hydroxyethyl)amino]-2-hydroxypropane-sulfonate (DIPSO), N-[2-hydroxyethyl]piperazine-N'-3-propanesulfonate (HEPES), 2-[N-morpholino]ethane-sulfonate (MES), 4-[N-morpholino]-butanesulfonate (MOBS), 3-[N-morpholino]-2-hydroxypropanesulfonate (MOPSO), or N-tris[hydroxymethyl] methyl-2-aminoethanesulfonate (TES), or the like, or a mixture thereof.

30 The liquid component may further comprise bis[2-hydroxyethyl]iminotris [hydroxymethyl]methane (BIS-TRIS), or Tris[hydroxymethyl] aminomethane (TRIZMA), or the like, or a mixture thereof.

35 The liquid component may further comprise amino-acid residues or sequences, including histidine (HIS) or lysine (LYS) residues or sequences.

The liquid component may comprise organic polyol ingredient including sugar-polyols, saccharide-polyols and glycols, such as glycerol, mannitol, sorbitol, ethylene glycol oligomers, propylene glycol oligomers, fructose, glucose, maltose, and the like.

- 5           The liquid component may comprise water-soluble phosphate or carbonate salts, or a mixture thereof.

The liquid component preferably has an intrinsic viscosity ranging between 5 and 100,000 mPa.s at 21°C.

- 10          The liquid component preferably forms a homogeneous solid aqueous gel-like material at a temperature between 25 and 60°C.

The solid component may comprise calcium phosphate, calcium sulfate, calcium carbonate, calcium titanate, calcium acetate, calcium glycerophosphate, calcium gluconate, calcium propionate compounds, or the like, or a mixture thereof.

- 15          The solid component can comprise at least one calcium phosphate selected from the group consisting of  $\text{Ca}(\text{H}_2\text{PO}_4)_2 \cdot \text{H}_2\text{O}$ ,  $\text{CaHPO}_4 \cdot 2\text{H}_2\text{O}$ ,  $\text{CaHPO}_4$ ,  $\text{CaZn}_3(\text{PO}_4)_2$ ,  $\text{CaZnPO}_4$ ,  $\text{CaNaPO}_4$ ,  $\text{Ca}_2\text{PO}_4\text{Cl}$ ,  $\alpha\text{-Ca}_3(\text{PO}_4)_2$ ,  $\beta\text{-Ca}_3(\text{PO}_4)_2$ ,  $\text{Ca}_3(\text{PO}_4)_2 \cdot \text{H}_2\text{O}$ ,  $\text{Ca}_4(\text{PO}_4)_2\text{O}$ ,  $\text{Ca}_8\text{H}_2(\text{PO}_4)_6 \cdot 5\text{H}_2\text{O}$ ,  $\text{Ca}_9(\text{HPO}_4)(\text{PO}_4)_5\text{OH}$ ,  $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_{2-2x}\text{O}_x$ , and  $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$ , and derivatives thereof.
- 20

The solid component may comprise hydroxyapatite and tricalcium phosphate.

The solid component can comprise hydroxyapatite and alpha- or beta-tricalcium phosphate, or any combination thereof.

- 25          The solid component can comprise from 5 to 95% wt. of hydroxyapatite and 90 to 5% wt. of alpha- or beta-tricalcium phosphate.

The solid component preferably comprises from 45-65% wt. of hydroxyapatite and 35-55% wt. of alpha- or beta-tricalcium phosphate.

- 30          The solid component can comprise natural mineral components including hard-tissue, enamel or dental apatite, coral or nacre.

The solid component can additionally comprise a carbonate compound selected from  $\text{Na}_2\text{CO}_3$ ,  $\text{CaCO}_3$ ,  $\text{K}_2\text{CO}_3$ ,  $\text{MgCO}_3$ ,  $\text{ZnCO}_3$ ,  $\text{Ca}_9\text{K}(\text{PO}_4)_5(\text{CO}_3)_2$ ,  $\text{Ca}_{8.5}\text{Na}_{1.5}(\text{PO}_4)_{4.5}(\text{CO}_3)_{2.5}$ ,  $\text{Ca}_9(\text{PO}_4)_{4.5}(\text{CO}_3)_{1.5}$ , and the like.

The solid component can additionally comprise a carbonated calcium phosphate.

The solid component can additionally comprise a fluoride compound selected from NaF, Na<sub>2</sub>Si<sub>6</sub>F, KF, KSi<sub>6</sub>F, CaF<sub>2</sub>, MgF<sub>2</sub>, ZnF<sub>2</sub>,  
5 sodium fluorophosphates, and the like.

The solid component can additionally comprise a fluorinated calcium phosphate.

The solid component can additionally comprise a strontium compound.

10 The solid component can additionally comprise a strontium containing calcium phosphate.

The solid component preferably comprises natural or synthetic solid components including mineral or ceramic materials, bioglasses, polymeric or biopolymeric materials, and the like.

15 The solid component and said liquid component preferably have a solid/liquid weight ratio between 0.05 and 2.0 g/mL.

The solid component can consist in dry ingredients with a size ranging from 5 to 1000 micrometers.

20 The hybrid composition is preferably at least partly resorbable *in situ* over time such as over a period of 18 months.

The hybrid composition or liquid component or solid component can be admixed with autologous materials selected from a group comprising cortical or cortico-cancellous bone, whole blood and blood components, bone marrow, cells isolated from tissues, stroma cells, or  
25 hematopoietic cells.

The composition of the present invention may further comprise osteoinductive agents selected from the group consisting of growth factors, hormones, individual osteoinductive proteins and mixtures of osteoinductive proteins.

30 The composition of the present invention may further comprise bone derived materials including demineralized bone matrix (DBM) or powder (DBP).

The composition of the present invention may also further comprise at least one growth factor selected from the group consisting of  
35 IGF, EGF, a-FGF, b-FGF, PDGF-A, PDGF-B and TGF-beta.

The composition of the present invention may further comprise at least one bone morphogenic proteins (BMP), sialoproteins, osteonectin, osteopontin, osteocalcin, calcitonin, or a mixture thereof.

5 The composition of the present invention may also further comprise anti-resorptive, antibiotic, antiviral, antitumor, and/or immunosuppressive agent.

In accordance with the present invention, there is provided the use of a composition as defined above as a gelling composition to correct a defect, cavity or interface of a tissue, or in a body cavity, and turned *in*  
10 *situ* into a gel-like filling material.

The composition may also be used as a gel-like material to fulfill a defect, cavity or interface of a tissue, or in a body cavity.

The hybrid composition is preferably administered and is completely self-formed in a defect, cavity or interface of one or more  
15 bones.

The hybrid composition is preferably administered and is completely self-formed in a defect, cavity or interface of a cortical, corticocancellous or cancellous part of a bone.

20 The hybrid composition can be administered and completely self-formed in a defect, cavity or interface between tissue parts or fragments of a fractured bone.

The hybrid composition can be administered and completely self-formed in a defect, cavity or interface at the metaphyseal or diaphyseal region of a bone.

25 The hybrid composition can be administered and is completely self-formed in a defect, cavity or interface of a hyaline cartilage tissue.

The hybrid composition can be administered and completely self-formed in a defect, cavity or interface of a fibro-cartilage tissue.

30 The hybrid composition is preferably injected or extruded percutaneously or endoscopically into a defect, cavity or interface of a tissue or a body cavity through a cannula, catheter, trocar or needle.

The hybrid composition can be applied and gelled during the course of an open surgical operation.

The hybrid composition can be administered during the course of a repairing, reconstructing or replacing treatment in dental, plastic, cranio-maxillofacial or orthopaedic surgery.

In accordance with the present invention, there is provided an *in situ* self-forming mineral-polymer hybrid composition comprising:

- a) a thermo-gelling liquid component, comprising at least 0.5% w/v of a chitosan, 2.0% w/v of a glycerophosphate; said liquid component having a pH between 6.5 and 7.4; and
- b) a solid component comprising at least one apatite and one tricalcium phosphate,

wherein said liquid component and solid component are admixed together intimately to form a non-hardening thermo-gelling hybrid composition; said hybrid composition gelling at the body temperature.

The liquid component may additionally comprise 0 to 10% w/v of at least one of glycerol, sorbitol, mannitol, ethylene glycol oligomers or polymers, and propylene glycol oligomers or polymers.

The liquid component can be admixed with autologous blood, blood component or bone marrow, said autologous blood, blood component or bone marrow being at a concentration ranging from 0 to 25% w/v.

The solid component is preferably a dry mixture of at least hydroxyapatite and beta-tricalcium phosphate.

The solid component can additionally comprise at least a strontium containing calcium phosphate.

The solid component can additionally comprise 0 to 25% w/v of dry crunched autologous spongy bone.

The solid component can additionally comprise 0 to 55% w/v of dry demineralized bone material.

In accordance with the present invention, there is provided a method of preparation of an *in situ* self-forming mineral-polymer hybrid composition as described previously. The method comprises the step of:

- a) preparing a first water-based liquid sub-component comprising at least one hydrosoluble cationic polymer, and preferably at least 0.5% w/v of a chitosan, said first sub-component being stable and stored below 10°C;



- b) preparing a second water-based liquid sub-component comprising at least one organic mono-phosphate source, and optionally one water-soluble organic mono-sulfonate, mono-sulfate or mono-carboxylate source;
- 5 c) preparing a solid component comprising at least one of calcium, fluoride, strontium, carbonate and phosphate salts, such as apatite and one tricalcium phosphate;
- d) admixing homogeneously said second liquid sub-component with said solid component into a stable water-based dispersion, said dispersion being stable and stored at room temperature or below; and
- 10 e) admixing said first liquid component and said stable dispersion together intimately to form a non-hardening thermo-gelling hybrid composition,
- 15 said hybrid composition having a pH between 6.5 and 7.4, being injectable, gelling at the body temperature and being applicable to any defect, cavity or anatomical structure of body's tissues.

For the purpose of the present invention the following terms are defined below.

- 20 In the present invention, the term "endothermally sensitive" solution refers herein to a solution turning into a gel material with an increasing temperature. In that meaning, endothermally sensitive may be easily replaced by "endothermally gelling".

- "Hydrosoluble" refers to any chemical or compound that dissolve  
25 readily in a water-based (aqueous) medium.

In the present invention, the composition comprises a liquid component and a solid component, such components being intimately mixed together; said liquid component being endothermally sensitive as previously defined.

- 30 The term "mineral-polymer composite" refers herein to a biphasic system where a mineral component is associated to a polymer component, whatever said mineral and polymer components are liquid or solid.

- The term "liquid component" refers herein to a water-based  
35 solution, and particularly a water-based polymeric solution.

The term "solid component" refers herein to a solid material, said solid materials being preferably a powder, particulate, microsphere or granular material. Also used for solid component is a "mineral component".

5 The term "dry ingredient" refers to a dry solid material that enters in the preparation of the solid component and mineral-polymer hybrid composition. In most cases, it is a solid particulates made of minerals or organics, or a mixture thereof.

10 "Bioactive agent" refers herein to a substance which presents an established biological activity of interest for the use of the hybrid composition. "Non-bioactive agent" corresponds to any substance used without any consideration for a possible biological activity of the hybrid composition.

15 "Self-gelling" refers herein to the sol-gel transition associated to the liquid component, resulting in the formation of uniform three-dimensional hydrated network (mainly organic). The self-gelling reaction is a reaction intrinsic to the polymer in the liquid component. Herein, gelling excludes hardening.

20 The term "Gel-like" refers to a substance which has the appearance of a homogeneous highly-hydrated gel. Gel-like excludes solid in the meaning of poorly or non hydrated solid materials (hard solid).

25 In the present invention, the term "polycationic" or "cationic polymer" refers to a polymer, natural (biological), artificial or synthetic, that has positively-charged chemical groups. The preferred groups include amines (free amines). Typical polycationics of the invention include non-exclusively polyamines such as poly-lysine, chitosan or polyethyleneimide, or zwitterian polymers such as collagens.

30 In the present invention, the new *in situ* self-forming mineral-polymer hybrid composition refers especially to an injectable self-forming mineral-polymer hybrid composition and bio-material wherein the material formation *in situ* is related to those of gel-like materials; the material formation is related to a sol-gel transition that occurs intrinsically within the liquid component (self-gelling); the compositions or bio-materials are defined herein by "self-gelling mineral-polymer hybrid compositions or bio-materials" or "self-gelling hybrid composition" or "self-gelling composition".  
35 This composition can however be used prior to gelling or at a gelled state.

**BRIEF DESCRIPTION OF THE DRAWINGS**

Fig. 1 illustrates a light microscopy view of CaP particulates, such as Durapatite (>125 mic.) (Fig. 1A), Durapatite (125-250 mic.) (Fig. 1B), TCP (Fig. 1C), synthetic HAP (100-300 mic.) (Fig. 1D), Coralline HAP (300 mic.) (Fig. 1E) and DAP microspheres (Fig. 1F) that can be incorporated into the CGP systems;

Fig. 2 illustrates the viscosity of DAP-CGP hybrid systems (chitosan 2% w/v; GP 8.2% w/v) as a function of the shear rate (20°C);

Fig. 3 illustrates the viscosity of TCP-CGP hybrid systems (chitosan 2% w/v; GP 8.2% w/v) as a function of the shear rate (20°C);

Fig. 4 illustrates the sedimentation tendency of DAP particles in a CGP solution and water wherein CGP was 2.3% w/v chitosan and DAP load was 3g;

Fig. 5 illustrates the sedimentation tendency of DAP particles in a CGP solution and water wherein CGP was 2.3% w/v chitosan and DAP load was 1g;

Fig. 6 illustrates the thermo-gelling the elastic modulus with the temperature (Fig. 6A) and the phase angle with the temperature (Fig. 6B) between two different liquid component, the chitosan-glycerophosphate system that spontaneously gels around 40°C, and the hydroxypropyl methylcellulose (HPMC) system that gels around 60°C, the chitosan-glycerophosphate systems gel stronger than HPMC ones;

Fig. 7 illustrates the rheological characteristics of DAP-CGP hybrid systems (chitosan 2% w/v; GP 8.2% w/v), the elastic modulus ( $G'$ ) is given during the gelling (37°C);

Fig. 8 illustrates the rheological characteristics of DAP-CGP hybrid systems (chitosan 2% w/v; GP 8.2% w/v), the viscous modulus ( $G''$ ) is given during the gelling (37°C);

Fig. 9 illustrates the evolution of the  $G'$  modulus of CGP systems loaded with TCP (chitosan 2% w/v; GP 8.2% w/v) for a gelling at 37°C;

Fig. 10 illustrates the evolution of the  $G'$  modulus of CGP systems loaded with HAP (chitosan 2% w/v; GP 8.2% w/v) for a gelling at 37°C.

Fig. 11 illustrates the evolution of the  $G'$  modulus of CGP systems loaded with BCP (chitosan 2% w/v; GP 8.2% w/v) for a gelling at 37°C;

5 Fig. 12 illustrates the compression modulus of DAP-CGP hybrid systems as measured from stress-relaxation tests, such as comp. modulus at peak (maximal, 25% compression, 1.0%/s rate)(Fig. 12A) and comp. modulus at equilibrium (Fig. 12B);

Fig. 13 illustrates the compression load for a 10 mL syringe injectability for a composition of chitosan 1.5%, GP 8.0%, HAP 30%;

10 Fig. 14 illustrates the gelling with an increasing temperature of a hybrid formulation after being prepared by a two-syringes mixing for a composition containing 5 g BCP in 5 mL H<sub>2</sub>O/GP (Fig. 14A) and 5 mL chitosan 4% w/v (Fig. 14B) where final concentrations were chitosan 2.0%, GP 9.0% and BCP 50% w/v

15 Fig. 15 illustrates the scanning electron microscopic view of BCP granules sieved at 100-250 microns (Fig. 15A) and the corresponding hybrid materials with a chitosan-glycerophosphate liquid component (Fig. 15B), where concentrations were chitosan 2.0%, GP 8.0% w/v;

20 Fig. 16 illustrates the macroscopic view of the thermo-gelling polymer-mineral composition (chitosan-glycerophosphate-BCP) ready-to-use in a syringe, the composition being highly injectable, when in its liquid (ungelled) state, the composition being easily shaped and gelled in any recipient (gel state in the petri dish); and

25 Fig. 17 illustrates the gel stability expressed by the modulus  $G'$  and  $G''$  versus the frequency, demonstrating gel formation of chitosan-glycerophosphate system mixed with rabbit whole blood (blood content: 15% v/v), the gelling being controlled rheologically at 37°C.

#### **DETAILED DESCRIPTION OF THE INVENTION**

30 In the invention, self-forming mineral-polymer hybrid compositions are prepared as filling vehicles based mainly upon a self-forming neutral polymeric aqueous composition. They are mainly thermo-gelling polymeric systems, comprising a solid mineral (or ceramic) component, and are first transformed in ceramic/gel-like materials at the  
35 body temperature. The polymeric compositions are ideally applied to fill

defects, cavities or anatomical structures as well as at the interface with prostheses or implants. This composition carries, osteoconductive materials, osteoinductive agents, drugs, therapeutics and/or healing accelerators such as growth factors, synthetic molecules or tissue proteins.

- 5           This composition may have a non-negligible mineral or ceramic content that may enable mineralization and stimulate formation of hard-tissue minerals, for example by conversion *in situ* into bone apatite, but it does not self-harden *in situ*, and must not be considered as a self-setting bio-material. This hybrid composition is administered *in situ* as an  
10 injectable self-gelling liquid slurry or an extrudable hybrid gel-like paste.

**Preparation of the liquid component**

- In the invention, the liquid component is an endothermally sensitive solution, and comprises a polymeric aqueous solution. In one embodiment, the liquid component comprises water, an organic and/or  
15 inorganic acid, at least one hydrosoluble cationic polymer, and at least one water-soluble phosphate source. In another embodiment, the composition comprises water, an organic and/or inorganic acid, at least one hydrosoluble cationic polymer, at least one water-soluble phosphate source, and at least one water-soluble sulfonate or carboxylate salt. The  
20 hydrosoluble cationic polymer is an hydrophilic polymer that has charged cationic groups, and is soluble in an aqueous medium. This polymer is preferably soluble in aqueous media with a pH inferior to 6.5. Typical hydrosoluble cationic polymer includes polysaccharides, for example chitin and chitosan derivatives such as partially-deacetylated chitins and  
25 chitosans, non-substituted partially-deacetylated chitins and chitosans, partially-deacetylated chitins and chitosans N-substituted with specific groups such as typically N-alkyl chitosans, N,O-alkylchitosans, N,N-dialkylchitosans, N-halochitosans, chitosans substituted with hydrophilic groups, etc. Hydrosoluble cationic polymers also comprises those related  
30 to polypeptides, collagens and synthetic polymers.

- The liquid component is characterized by its endothermal sensitivity which means generally that it presents a sol-gel transition temperature (SGTT), a liquid state (sol state) at a temperature lower than the SGTT, and a gel state in which a gel is substantially water-insoluble at  
35 a temperature higher than the SGTT.

In the liquid component, the polymer is dissolved by using organic and/or inorganic acids, including malic acid, propionic acid, phosphoric acid, lactic acid, hydrochloric acid, ascorbic acid, formic acid, acetic acid, and the like. Poly-acids such as polyacrylic acid are not used in the present invention. The polymer is dissolved in an acidic aqueous medium having a pH ranging between 1.0 and 5.0, preferentially between 1.0 and 4.0. The polymer is a hydrosoluble cationic polymer, typically a water-soluble hydrophilic polysaccharide bearing amino groups, including chitin, partially deacetylated chitins and chitosan, or an aminated polysaccharides having the desired characteristics. The content in polymer is ranging between 0.1% and 10% w/v, preferentially between 0.5 and 5.0% w/v, and more preferably between 0.5% and 3.0% w/v. The polymer may be optionally combined with another polymer selected from the group consisting of polysaccharides, polypeptides, cellulose and synthetic polymers, including modified chitin, modified chitosans, collagen, methylcellulose, hydroxyethyl cellulose, hydroxypropylcellulose, hydroxyethyl propylcellulose, hydroxymethyl propylcellulose, poly(ethylene oxide), poly(propylene oxide), poly(vinyl alcohol), and the like, or a mixture thereof. The content in the second polymer varies between 0.01% and 5.0% w/v, preferentially between 0.01% and 2.5% w/v, and more preferably between 0.01% and 1.0% w/v. A typical example of second polymer is N,O-carboxymethyl-chitosan or N,O-glycolic-chitosan, poly(ethylene oxide), poly(ethylene oxide-co-propylene oxide-co-ethylene oxide), or methyl cellulose. In another embodiment, the preferred other polymer is a collagen that is solubilized at a concentration between 0.5 to 10% w/v.

The water-soluble phosphate source of the liquid component is defined as being an organic mono-phosphate basic salt. It has a moderate basic character, and a pKa (referred as being the acidity constant) between 6.0 and 7.4. This phosphate source is preferentially a (di)sodium, (di)potassium, magnesium, manganese or (di)ferric salt, and more preferably a disodium, dipotassium or magnesium salt, or a mixture thereof. The concentration of the phosphate source of the liquid component is between 0.1% and 20% w/v, and ideally between 1.0% and 10% w/v. The said phosphate source is preferably selected in a group

comprising  $\text{Na}_2\text{PO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{Fe}_2\text{PO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{K}_2\text{PO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{MgPO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{MnPO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{Ca}_2\text{PO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{Na}_2\text{PO}_7\text{C}_3\text{H}_7$ ,  $\text{Na}_2\text{PO}_7\text{C}_4\text{H}_7$ ,  $\text{K}_2\text{PO}_7\text{C}_4\text{H}_7$ ,  $\text{NaPO}_7\text{C}_4\text{H}_8$ ,  $\text{K}_2\text{PO}_7\text{C}_4\text{H}_8$ ,  $\text{Na}_2\text{PO}_8\text{C}_5\text{H}_9$ ,  $\text{K}_2\text{PO}_8\text{C}_5\text{H}_9$ ,  $\text{NaPO}_8\text{C}_5\text{H}_{10}$ ,  $\text{KPO}_8\text{C}_5\text{H}_{10}$ ,  $\text{Na}_2\text{PO}_9\text{C}_6\text{H}_{11}$ ,  $\text{NaPO}_9\text{C}_6\text{H}_{12}$ ,  
 5  $\text{K}_2\text{PO}_9\text{C}_6\text{H}_{11}$ ,  $\text{KPO}_9\text{C}_6\text{H}_{12}$ ,  $\text{Na}_2\text{PO}_8\text{C}_6\text{H}_{13}$ ,  $\text{K}_2\text{PO}_8\text{C}_6\text{H}_{13}$ ,  $\text{NaPO}_8\text{C}_6\text{H}_{14}$ ,  $\text{KPO}_8\text{C}_6\text{H}_{14}$ ,  $\text{Na}_2\text{PO}_9\text{C}_6\text{H}_{12}$ ,  $\text{K}_2\text{PO}_9\text{C}_6\text{H}_{12}$ ,  $\text{NaPO}_9\text{C}_6\text{H}_{13}$ ,  $\text{KPO}_9\text{C}_6\text{H}_{13}$ ,  $\text{Na}_2\text{PO}_8\text{C}_{10}\text{H}_{11}$ ,  $\text{K}_2\text{PO}_8\text{C}_{10}\text{H}_{11}$ ,  $\text{NaPO}_8\text{C}_{10}\text{H}_{12}$ ,  $\text{KPO}_8\text{C}_{10}\text{H}_{12}$  and the like, derivatives, or a mixture thereof. Ideally, the phosphate source is alpha or beta glycerophosphate (glycerol-2-phosphate, glycerol-2-phosphate),  
 10 glucose-1-phosphate, glucose-6-phosphate, fructose-1-phosphate or fructose-6-phosphate disodium or dipotassium, magnesium, or a mixture thereof.

The liquid component may optionally comprise at least one sulfonate source, in a proportion of 0.1 to 10% w/v, selected among N-  
 15 [carbamoyl methyl]-2-aminoethanesulfonate (ACES), N,N-bis[2-hydroxyethyl]-2-aminoethane-sulfonate (BES), 3-[N,N-bis(2-hydroxyethyl)amino]-2-hydroxypropanesulfonate (DIPSO), N-[2-hydroxyethyl]piperazine-N'-3-propanesulfonate (EPPS), N-[2-hydroxyethyl]piperazine-N'-3-propanesulfonate (HEPES), 2-[N-morpholino]  
 20 ethanesulfonate (MES), 4-[N-morpholino]butanesulfonate (MOBS), Piperazine-N,N'-bis[2-ethanesulfonate] (PIPES), Piperazine-N,N'-bis[2-hydroxypropane-sulfonate] (POPSO), N-tris[hydroxymethyl]methyl-2-aminoethanesulfonate (TES), and the like, or a mixture thereof.

The liquid component may optionally comprise other molecules  
 25 such as water-soluble molecules having one acid and at least two amino groups, or more amino groups than acid groups, or at least one amino groups and multiple alcohol groups; said molecules having a moderate basic character and a pKa between 6.0 and 7.4. This molecule is generally selected among amino-acid residues or sequences, including histidine  
 30 (HIS) or lysine (LYS) residues or sequences, and/or among a group comprising bis[2-hydroxyethyl]iminotris [hydroxymethyl]methane (BIS-TRIS), Tris[hydroxymethyl]aminomethane (TRIZMA), and the like, and any mixture thereof.

The final chitosan-based liquid component has a pH above the  
 35 pKa of chitosan (6.3-6.4), generally between 6.5 and 7.4, and a reduced

content in acid. Typically, chitosan-glycerophosphate solutions at pH = 7.0, prepared from chitosan, hydrochloric acid and disodium glycerophosphate, mainly contain water, chitosan-glycerophosphate and NaCl.

5 All proposed liquid components have a pH ranging between 6.5 and 7.4, and an intrinsic viscosity ranging between 5 and 100,000 mPa.s at 21°C. All liquid components, being endothermally sensitive, have a sol-gel transition temperature, and form homogeneous solid aqueous gels at a temperature, between 15°C and 60°C, preferably between 25°C and 45°C, and more preferably at 35-40°C.

10 The liquid component may also comprise a certain amount of water-soluble salts such as phosphate salts or carbonate salts, or a mixture thereof. Typical salts are sodium phosphate or carbonate salts. This phosphate or carbonate salt concentration is generally ranging from 0 to 0.1 mole/l, generally below 0.05 mol/l.

15 Other organic compounds being nonbioactive may be admixed to the liquid component so as to provide specific chemical or physical properties. Representative compounds include polyols, sugar-polyols, saccharide-polyols and glycols, including glucose, fructose, maltose, saccharose, glycerol, mannitol, sorbitol, ethylene glycol oligomers, 20 propylene glycol oligomers, and the like.

#### **Incorporation of bioactive agents in the liquid component**

Other ingredients can be incorporated to the liquid component to give specific biological actions to hard-tissues, either treating deficiencies or diseases, inducing or accelerating hard-tissue formation and repair, and 25 the like. They are pharmaceuticals, chemicals, or biologically-active agents, or mixtures of agents, that can be totally or partially dissolved in the liquid component, or are water-insoluble artificial materials or living biologicals that can be dispersed in the liquid component. Those agents do not impair the endothermal sensitivity of the liquid component.

30 In one embodiment, the agents are inductive, protective or therapeutic agents, being water-soluble or partially water-soluble, and comprise osteoinductive agents such as growth factors, growth hormones, osteoinductive proteins and mixtures of osteoinductive proteins, genes and pharmaceuticals or drugs. Cytokines and growth factors (GF) may be 35 selected typically from Epidermal GF, acidic Fibroblasts GF, basic



Fibroblast GF, Platelet-Derived GF AA, Platelet-Derived GF BB, Platelet-Derived GF AB and Tumour GF-beta. Osteoinductive agents may also be demineralized bone matrix, osteopontin, osteocalcin, sialoprotein, calcitonin, or a mixture thereof, or hard-tissue (bone) derived organic preparations, preferentially non-immunologic organic preparations.

Moreover, a suspension of living cells may be used to prepare the liquid component. Living cells may also adhered and be cultured onto the solid component such as on the calcium, fluoride, strontium, carbonate and phosphate salts under granular form. They also may be adhered and cultured on other solid materials that are added to the solid component (Ex: bioglass). They may also come from body's fluid or component such as the blood, bone marrow. Living cells may be selected among the cells that constitute the tissues or are precursors of the tissue cells.

Biological cell sources of bioactivity may be from allogeneous or preferably autogeneus tissue or fluid, such as cortical or cortico-cancellous bones, whole blood and blood components, bone marrow, cells isolated from tissues, stroma cells or hematopoietic cells, and the like.

Optionally, molecules being phosphorylated amino acids or sequences of carbohydrate with phosphorylated amino acids may be incorporated in the liquid component.

Bioactive agents can be incorporated at a soluble or non-soluble state. They can be complexed with other chemical molecules into a solid that is incorporated to the liquid component. They can be added to the liquid component as a non-soluble or sparingly soluble ingredient.

Representative biological additives to the liquid component are the patient's whole blood or blood components (autologous, soluble or non-soluble), the patient's bone marrow (autologous, soluble or non-soluble), the crunched patient's spongy bone (autologous, non-soluble), and antibiotics (gentamycin, vencomycin, tobramycin, etc).

#### **Preparation of the solid component**

The solid component comprises at least one of calcium, fluoride, strontium, carbonate and phosphate salts that are not easily soluble (sparingly or more likely insoluble) in aqueous media.

In the invention, the solid component is generally dry mineral powders or particles, or any mixtures of dry mineral powders or particles,

also called "dry ingredients". It has a calcium composition, and preferably a calcium phosphate composition, having a good stability in aqueous environment at pH 6.5-7.4.

5 The size of the particles is not particularly crucial in the invention, although there exist preferred ranges of sizes to have optimal particle surface area, surface reactivity, biological reaction, dissolution rate, etc. Particle size, herein defined as an average particle size, may range from 0.1 microns to 1000 microns, preferably below 500-600 microns, and more preferably from 100 to 300 microns. Dry ingredients are  
10 sized and combined together by physico-mechanical milling/mixing techniques and instruments. This may be reached by a single milling/mixing and sieving step, or by a series of milling/mixing and sieving steps. The physico-mechanical mixing is not critical, may be operated with various techniques and instruments, but has to provide an intimate sizing  
15 and mixing of the dry ingredients.

Physico-mechanical milling/mixing techniques include mortar, or ball planetary mixing, and the like. A selection of the dry powder mixture may be operated following the dry milling/mixing, for example by sieving into an appropriate ingredient size. Shaker (rotary) mixing and ball mixing  
20 was preferentially used in the present invention. It is important that the dry ingredient milling/mixing is achieved without chemically altering the ingredient reactivity and without contamination. Mixing must be performed until occurrence of a uniform dry mixture. To ensure anhydrous conditions, the mixing of dry ingredients may be operated under strict anhydrous  
25 conditions (gas, environment control), or in anhydrous non-aqueous liquids, for example solvents such as hexane or absolute alcohols, all traces of water being preliminarily eliminated from this liquid. Identically, the dry mixture is preferentially stored under strict anhydrous conditions so as to avoid any contamination or cross-reaction with water. Solid additives,  
30 being organic or inorganic, may be admixed with the dry ingredients at the dry mixing step. Incorporation of bioactive agents in the solid component may be performed during the dry mixing, or later, during a second mixing step.

Sterilization of dry ingredient can be reached by current  
35 industrial sterilizing techniques such as gamma-irradiation at doses from

2.0 to 3.5 Mrad. Other sterilizing techniques and conditions can be performed such as high-temperature ( $>175^{\circ}\text{C}$ ) or steam sterilization.

**Self-forming hybrid compositions/bio-materials: Preparation**

In the present invention, self-forming hybrid compositions are prepared by first intimately mixing together the liquid component and the solid component. Mixing may be performed manually by kneading, or physico-mechanically by using homogenizers, mixers or mills, and the like. Alternatively, two syringes with or without a mixing tip are used to mix liquid and solid components of the composition. There is no special preference for the mixing instruments, but the composition must be homogeneous with as few agglomerations as possible, being a dispersion of the fine mineral particles of the solid component in the liquid component.

The liquid component is one selected among those previously described. One preferred basic liquid components comprise water, acid, chitosan and a soluble source of an organic mono-phosphate salt. Acid is generally selected among hydrochloric acid, phosphoric acid, acetic acid, lactic acid, and the like. The starting acidic aqueous medium is generally a 0.05 to 1N acid/water solution, and preferably a 0.05 to 0.5N solution. Chitosan is generally selected among partially N-deacetylated poly(glucosamine) having a deacetylation degree between 60 and 100%, preferably between 30 and 99% and more preferentially between 84 and 98%. Chitosan is present in the liquid component at a concentration ranging from 0.1% to 10% w/v, preferentially between 0.5 and 5.0% w/v, and more preferably between 0.5% and 3.0% w/v. The source of phosphate is generally an organic monophosphate dibasic salt, such as glycerol-2-phosphate and/or glycerol-3-phosphate sodium or magnesium salts, at a concentration between 0.1% and 20% w/v, and ideally between 1.0% and 10% w/v. The pH of said liquid component varies between 6.5 and 7.4, and preferably between 6.8 and 7.2. The viscosity of said liquid component is ranging between 5 mPa.s to 100,000 mPa.s, and preferably between 10 mPa.s and 1,000 mPa.s.

As previously described, additional reagents may be an organic mono-sulfonate salt and/or a second hydrophilic polymer, and/or an organic molecules, and/or a bioactive agent. The liquid component is preferably stored at cool temperatures, ideally between 0 and  $4^{\circ}\text{C}$ . Water-

soluble salts such as carbonate or phosphate salts, or a mixture thereof, can be added to the liquid component, at concentrations below 0.1 mol/l.

The solid component is a solid mineral ingredient or a mixture of solid mineral ingredient that contains at least one of calcium, fluoride, strontium, carbonate and phosphate salts, and preferably at least one calcium phosphate. The calcium (phosphate) may consist in  $\text{Ca}(\text{H}_2\text{PO}_4)_2 \cdot \text{H}_2\text{O}$  (MCPM),  $\text{CaHPO}_4 \cdot 2\text{H}_2\text{O}$  (DCPD),  $\text{CaHPO}_4$  (DCPA),  $\text{CaZn}_3(\text{PO}_4)_2$ ,  $\text{CaZnPO}_4$ ,  $\text{CaNaPO}_4$ ,  $\text{Ca}_2\text{PO}_4\text{Cl}$ ,  $\alpha\text{-Ca}_3(\text{PO}_4)_2$  ( $\alpha$ -TCP),  $\beta\text{-Ca}_3(\text{PO}_4)_2$  ( $\beta$ -TCP),  $\text{Ca}_3(\text{PO}_4)_2 \cdot \text{H}_2\text{O}$  (ACP),  $\text{Ca}_4(\text{PO}_4)_2\text{O}$  (TTCP),  $\text{Ca}_8\text{H}_2(\text{PO}_4)_6 \cdot 5\text{H}_2\text{O}$  (OCP),  $\text{Ca}_9(\text{HPO}_4)(\text{PO}_4)_5\text{OH}$  (CDA),  $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_{2-2x}\text{O}_x$  (SHA),  $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$  (PHA), and the like or derivatives thereof. The powder component is a calcium phosphate such as a hydroxyapatite [ $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$ ], or a derived apatite (calcium deficient apatite, carbonated apatite, and the like), or a tricalcium phosphate [ $\alpha\text{-Ca}_3(\text{PO}_4)_2$  or  $\beta\text{-Ca}_3(\text{PO}_4)_2$ ], or an octacalcium phosphate [ $\text{Ca}_8\text{H}_2(\text{PO}_4)_6 \cdot 5\text{H}_2\text{O}$ ], or an amorphous calcium phosphate [ $\text{Ca}_3(\text{PO}_4)_2 \cdot \text{H}_2\text{O}$ ], and the like, or a mixture thereof. Any carbonated and fluorinated, and strontium-containing calcium phosphates, as previously described, and the like or a mixture thereof, may be also used, including carbonated fluorinated strontium-containing, carbonated strontium-containing, fluorinated strontium-containing, and carbonated fluorinated calcium phosphates. Any amorphous form of the previously described calcium phosphates, and the like or a mixture thereof, may be incorporated as well.

Other mineral or inorganic solid component can be selected among non-phosphate calcium salts such as typically calcium sulfates, calcium titanates, calcium carbonates, calcium acetate, calcium glycerophosphate, calcium gluconate, and the like.

Other mineral may be added to the calcium compound of the solid component. Such other mineral can be Calcium, Strontium, Barium, Magnesium compounds, and the like, or titanate, sulfate, silicate compounds, and the like, or fluorinated, carbonated, strontied compounds, and the like, or a mixture thereof. Examples of such solid component composition may be a calcium phosphate with a sodium

monofluorophosphate addition, or a apatite with a certain amount of a fluorinated or strontied apatite.

In a preferred embodiment, the solid component is preferentially 100% HAP [ $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$ ], or 100% TCP [ $\text{Ca}_3(\text{PO}_4)_2$ ], or 100% OCP  
5 [ $\text{Ca}_8\text{H}_2(\text{PO}_4)_6 \cdot 5\text{H}_2\text{O}$ ], or a dry mixture of HAP, TCP and/or OCP. Typical dry mixture of the powder component is a HAP/TCP powder mixture (from 10:90 to 90:10). Preferentially, HAP/TCP contains the beta phase of TCP, but alpha phase can be used similarly.

The size of mineral solid varies between 0.1 and 1000  $\mu\text{m}$ ,  
10 generally between 20 and 300  $\mu\text{m}$ , and is preferentially selected between 100 and 300  $\mu\text{m}$ . For calcium phosphates, the calcium to phosphate ratio of the solid component varies from 1.0 to 2.0, and more generally from 1.3 to 1.7, and more preferentially from 1.5 to 1.7. The solid is a powder, a particulate, granules of any shape, or micro-spheres, and the like.

15 The solid component and the liquid component are intimately mixed together, with a liquid/solid (L/S) weight ratio between 0.05 g/mL and 2.0 g/mL, and preferentially between 0.1 g/mL and 1.2 g/mL, and more preferentially between 0.1 g/mL and 0.9 g/mL. The resulting ungelled slurry is injectable, and has a viscosity ranging between 5 and 1,000,000  
20 mPa.s, and preferentially between 5 and 200,000 mPa.s. The hybrid composition can be partially gelled and remained injectable. Complete thermal gelling of such mineral-polymer composition does not exclude at all injectability and extrudability.

The liquid component is endothermally sensitive, and the  
25 resulting slurry is identically endothermally sensitive. This is shown by monitoring rheologically the viscoelastic parameters of the slurry, and more typically by monitoring the viscous and elastic moduli, and  $\tan \delta$ , of the liquid component and resulting slurry. Self-forming hybrid compositions are mainly self-gelling systems, with no self-hardening properties. The hybrid  
30 compositions form at 37°C and 100% humidity a hybrid material that looks like a consistent gel-like material. The compression strength of resulting gel-like materials is low, typically below 1.0 MPa. This hybrid gel-like material can be remodeled *in situ*, and is resorbable as are its constitutive ingredients.

The resulting thermo-gelling slurry can be administrated to the body site:

- a) at an ungelled state, as a liquid, and it will gel *in situ*.
- b) at a partial gelled state, and it will end its gelling *in situ*.
- 5 c) at a gelled state, being gelled *in vitro*, and it is delivered to the body site.

#### **Mode of administration - Application**

The administration of the composition to hard-tissue defects, cavities, or any anatomical structures is performed percutaneously by  
10 injection through a catheter, cannula, trocar or needle of a gauge ranging from 7 to 27, preferably from 14 to 22, and more ideally from 16 to 22, and with the use of a syringe or any pressure injecting device, or by the use of endoscopic technique and instrument or during the course of an open surgical operation.

15 The compositions may be useful for medical and dental indications, in human or veterinarian procedures. They may be used in various known procedures such as:

- a) to favor and promote regeneration of bone lost due to local or systemic diseases, disorders or deficiencies (periodontal  
20 diseases, abscess, tumour resection, osteoporosis), to fill bone defects or cavities;
- b) to replace bone that is surgically removed or lost during a trauma;
- c) to favor and promote formation of bone in non-osseous sites, or  
25 in the vicinity of bone (intervertebral disks);
- d) to augment alveolar ridges, to fill extraction socket, to favor osteointegration of dental devices;
- e) to ensure retention and strength *in situ* of other orthopaedic devices (pin, prosthesis, fixation);
- 30 f) to ensure percutaneous delivery of therapeutic agents to tissues (drug delivery);
- g) to favor the anchorage and interface between bone and articular cartilage; and

h) to repair the reconstruction, repair and function recovery of musculo-skeletal tissues such as bones, cartilages and fibrocartilages.

5 More generally, the compositions may be useful for all repair, regeneration, filling, replacement procedures associated to hard-tissues as well as for delivering drugs or bioactive agents to hard-tissues. It can also be administered to soft-tissues such as cartilages and fibrocartilages.

10 The composition can be mixed with patient's blood or bone marrow or crunched spongy bone prior to injection on the site. This addition increases the osteogenic potential of the composition and bio-material.

The composition can be injected for filling and repairing internal bone cavity, for local treatment of osteoporotic bones, for demineralized bones and bone demineralization disorders; for bone defects or cavities, 15 for example in the case of periodontal defects with bone loss, augmentation of the alveolar ridge or surgically-performed hard-tissue defects following resection of diseased hard-tissue parts; for bone fractures for delivering agents that accelerate the sequence of fracture healing; as well as for bone fusion, such as vertebral bone fusion.

20 Typical applications of the self-forming mineral-polymer hybrid composition consists in solitary bone lesions such as those observed with osteomyelitis, round cell lesions, fibrous dysplasia, bone cyst, chondromyxoid fibroma, osteosarcoma, non-ossifying sarcoma, endochondroma, chondroblastoma, joint revision osteolysis, or the like.

25 In another application, the mineral-polymer composition is applied at the interface with a prosthesis or an implant (orthopaedic) such as a prosthetic joint (hip, knee) or a screw (pedicular). It can be used for joint revisions.

30 Another application is the treatment of metaphyseal and diaphyseal fractures in association with a fixation device. Said mineral-polymer composition can be associated with osteoinductives such as autologous blood or bone marrow, growth factors, etc to accelerate the phase sequence of fracture/bone healing.

The present invention will be more readily understood by referring to the following examples which are given to illustrate the invention rather than to limit its scope.

5

**EXAMPLE I****Preparation of Liquid Component**

The liquid component of bone composition is an endothermally self-forming aqueous solution comprising one hydrophilic cationic polymer and one water-soluble organic mono-phosphate source. A representative liquid component is a chitosan/glycero-phosphate [chitosan-GP] aqueous solution. An acidic chitosan aqueous solution (2.0% w/v) was made with a chitosan previously deacetylated at 83-97%, filtered and dialyzed, and was prepared from a 0.097M (0.10M) HCl solution. A chitosan/glycerophosphate aqueous solution was prepared from the 2.0% (w/v) chitosan in HCl aqueous solution and a 54% (w/v) disodium glycerophosphate in distilled water solution. Final concentrations (w/v) in the self-gelling chitosan/glycerophosphate systems was approximately 1.6-2.0% (chitosan) and 6.75-8.2% (glycerol-phosphate) (see Table 1).

**Table 1**

20 **Buffering/thermo-gelling agents for liquid components having 1.0-2.0% by weight of chitosan.**

Buffering/Thermo-gelling agents	Example contents (% w/v)	Remarks
Glycero-phosphate salts	4-10	
Glucose-phosphate salts	6-12	
Fructose-phosphate salts	1-6	
Histidine	2-10	Histidine and glucosamine used as co-buffering agent with glycero-phosphate.
Glucosamine	2-10	
BIS-TRIS	1-8	
MES (sulfonate) salt	1-4	Used alone or mixed with glycero-phosphate.
HEPES (sulfonate) salt	1-4	Used alone or mixed with glycero-phosphate.
TES (sulfonate) salt	1-4	Used alone or mixed with glycero-phosphate.



Glycerophosphate (GP) salts act herein as buffering/thermo-gelling agents for the chitosan solution. Other buffering/ thermo-gelling phosphate sources may be used, typically organic monobasic phosphate salts, such as glucose-phosphate or fructose-phosphate salts. Other buffering agents may be also associated with glycerophosphate salts so as to enhance the buffering/ thermo-gelling action such as amino acids or organic sulfonate salts. Table 1 summarizes the potent composition of liquid components. Histidine was typically admixed with GP in the chitosan solution (Ex: 1.5% w/v chitosan, 4.0% w/v GP + 4.0% w/v histidine). BIS-TRIS may be used alone as a buffering/ thermo-gelling agent (Ex: 1.5% w/v chitosan + 2.0% w/v BIS-TRIS). HEPES, TES or MES sulfonate agent may be used alone as a buffering/thermo-gelling agent (Ex: 1.5% w/v chitosan + 2.0% w/v HEPES, TES or MES).

**a) Addition of a second water-soluble Polymer in the liquid component**

A second water-soluble polymer may be dissolved in the chitosan-GP aqueous solution. Table 2 gives the composition of liquid component consisting in chitosan-GP plus a water-soluble polymer. Glycerophosphate may be added prior to the dissolution of the second polymer, or after the dissolution of the second polymer. Thermosensitive polymers such as the methyl cellulose, hydroxypropyl methylcellulose or Pluronic® were found to be the more sensitive to the concentration in glycerophosphate salts. Those salts were found to affect the gelling or precipitating temperature of the polymer, thus leading to a precipitation of the chitosan/GP/polymer(2) system (Fig. 6).

All polymers (2) were dissolved in a prepared chitosan-GP solution, except for collagen, and more generally other polycationics, that are dissolved in combination with the chitosan.

**Table 2**  
**Liquid component compositions having an admixed second water-soluble polymer.**

Polymer (2)	Polymer content (w/v)	Chitosan content (w/v)	GP content (w/v)	Remarks
Hydroxyethyl Cellulose	1.0%	2.0%	8.0%	Form gels.
Hydroxypropyl Methyl Cellulose	0.55%	1.0%	4.5%	Form gels.
Polyethylene glycol	1.0%	2.0%	8.0%	Form gels.
Methyl Cellulose	1.0-2.0%	1.0-2.0%	4.0-6.0%	Form gels. Precipitation may occur with higher GP contents.
Pluronic®	1.0%	2.0%	2.0%	Form gels. Precipitation may occur with higher GP contents.
Collagen (type I)	1.0%	1.0%	8.0%	Form gels.

5 All presented concentrations (% , mol/l) are final.

#### **b) Addition of water-soluble ingredients of interest**

10 Some organic molecules that are soluble or miscible with water may be added to the chitosan-based liquid component to give modified or improved physico-chemical characteristics, mechanical or handling performances, or biological properties. This includes without limitation polyols, sugars, amino-acids, saccharides, and polysaccharides.

##### **Polyols & Sugars**

15 Of particular interest may be the polyols such as polyols having diol hydrocarbon moieties which may be useful for the processing or the performances of the liquid component (see Table 3). Among those polyols, sugar-polyols, saccharide-polyols and glycols are preferred : glycerol, mannitol, sorbitol and ethylene glycol compounds such as the triethylene glycol, tetraethylene glycol were found to be good representative  
 20 examples, being attractive and bringing modifications or improvements to the liquid component or resulting thermo-formed gel. Sugars such as fructose, glucose, etc may be used similarly.

**Table 3**

**Liquid component compositions having added water-soluble non-polymeric ingredient (Polyols)**

Polymer (2)	Ingredient content (w/v)	Chitosan content (w/v)	GP content (w/v)	Remarks
Glycerol	0.1-1.0	2.0%	8.0%	Form gels. Changed rheological parameters of gels. Stabilize chitosan sol viscosity.
Sorbitol (Mannitol)	0.1-1.0	1.0%	4.0%	Form gels. Changed rheological parameters of nonsterile gels. Stabilize chitosan sol viscosity.
Ethylene glycol	0.1-1.0	2.0%	8.0%	Form gels. Changed rheological parameters of nonsterile gels. Stabilize chitosan sol viscosity.
Tri- (Tetra-) Ethylene glycol	0.1-1.0	2.0%	8.0%	Form gels. Changed rheological parameters of gels. Stabilize chitosan sol viscosity.

5 All presented concentrations (% , mol/l) are final.

#### Polysaccharides (GAGs)

- Other water-soluble (bio)chemical ingredients may be of interest to be added to the chitosan-GP liquid component. However, such ingredients must not disturb the chitosan-GP composition (ingredient) and its thermo-gelling property. Glycoaminoglycans may be added to the chitosan-GP solution to a certain extent. It must be taken care of not inducing precipitation of chitosan. In Table 4, heparin was used as the GAGs to be added. Chitosan solutions were 4.0% w/v chitosan (deacetylation 95%) in 0.19M HCl. GP solutions were 54,6 % w/v in water.
- 10 Heparin in water solutions were at 1 mg/mL (A), 0.1 mg/mL (B), 10 µg/mL (C) and 1 µg/mL (D).
- 15

**Table 4**  
**Liquid component compositions having added water-soluble non-polymeric ingredient (Heparin)**

#	Composition	pH	Remarks
1.	500 $\mu$ L chitosan + 150 $\mu$ L GP 250 $\mu$ L water + 100 $\mu$ L Heparin (B)	7.04	Gels.
2.	500 $\mu$ L chitosan + 250 $\mu$ L water 150 $\mu$ L GP + 100 $\mu$ L Heparin (C)	7.01	Gels.
3.	500 $\mu$ L chitosan + 250 $\mu$ L water 150 $\mu$ L GP + 100 $\mu$ L Heparin (B)	6.87	Gels.
4.	500 $\mu$ L chitosan + 250 $\mu$ L water 150 $\mu$ L GP + 100 $\mu$ L Heparin (A)	6.97	Reduced precipitation. Gels.

5

**c) Addition of a Second water-soluble Phosphate source to the Liquid Component**

10 An acidic chitosan aqueous solution (2.0-4.0 w/v) was made with a chitosan deacetylated at 83-85%, filtered and dialyzed, and was prepared from a 0.1M HCl solution.

15 A chitosan-GP aqueous solution was prepared from a pre-cooled (4°C) chitosan in HCl solution and a 54-55% (w/v) disodium glycerophosphate (GP) in distilled water solution. The pH of the resulting liquid chitosan-GP solution was measured at 21°C. A phosphate solution (1) was prepared with 0.144 g/l  $\text{KH}_2\text{PO}_4 \cdot 7\text{H}_2\text{O}$  (potassium dihydrogen phosphate hydrated) and 0.795 g/l  $\text{Na}_2\text{HPO}_4$  (disodium hydrogen phosphate) and had a pH of 7.4 at 20°C. Amounts of the chitosan-GP solution and phosphate solution (1) were admixed homogeneously, then the pH of the resulting solutions was measured. The solutions were finally  
20 disposed at 37°C for gelation, all signs of precipitation being noted. In Table 5, all chitosan-GP + phosphate solution (1) (80:20 to 50:50, vol) showed no signs of precipitation, and gelled within 30 minutes at 37°C.

**Table 5**

**Composition of liquid components supplemented with a second source of water-soluble phosphate.**

Composition	pH	Chitosan:GP (% w/v)	[Phosphate] mol/l	Gelling time (initial)	Precipitation
10 ml chitosan-GP	7.0	2.0:8.2	0	30 minutes	No
8 ml chitosan-GP + 2 ml phosphate (1)	6.9	1.6:6.6	0.0014	30 minutes	No
7 ml chitosan-GP + 3 ml phosphate (1)	6.9	1.4:5.7	0.0021	30 minutes	No
5 ml chitosan-GP + 5 ml phosphate (1)	6.9	1.0:4.1	0.0035	30 minutes	No
8 ml chitosan-GP + 2 ml phosphate (2) 1:1	6.9	1.6:6.6	0.04	Slow gelation	No
7 ml chitosan-GP + 3 ml phosphate (2) 1:1	6.9	1.4:5.7	0.06	Slow gelation	No
5 ml chitosan-GP + 5 ml phosphate (2) 1:100	6.95	1.0:4.1	0.001	30-40 minutes	No precipitation

5 All presented concentrations (% , mol/l) are final.

A concentrated phosphate solution (2) was prepared from 283.92 g/l of  $\text{Na}_2\text{HPO}_4$  (0.2 mol/l disodium hydrogen phosphate) and 239.96 g/l of  $\text{NaH}_2\text{PO}_4$  (0.2 mol/l sodium dihydrogen phosphate) and had a pH of 7.4 at 37°C. This phosphate solution was used with dilutions at 1:1,  
 10 1:10, 1:100 and 1:1000. Equal volumes (50:50) of the diluted to concentrated phosphate solution (2) and chitosan-GP solution were mixed homogeneously. The pH of the resulting solutions was measured, and the solutions disposed at 37°C for gelation, all signs of precipitation being noted. All chitosan-GP/phosphate (2) gelled with various rates at 37°C.

15 A more concentrated phosphate solution (3) was prepared: 0.5 mol/l  $\text{NaH}_2\text{PO}_4$  (600 g/l) and 0.5 mol/l  $\text{Na}_2\text{HPO}_4$  (709.8 g/l). Volumes of the concentrated phosphate solution (3) was added to chitosan-GP solutions, and mixed homogeneously. In Table 6, the pH of the resulting solutions was measured, and the solutions disposed at 37°C for gelation, all signs of  
 20 precipitation being noted. Chitosan-GP is fully compatible with 5 mM PBS solution at pH 7.2-7.4. Compatibility depends upon the phosphate content (Tables 1a-1b): the addition of highly concentrated phosphate solutions

(especially dibasic phosphates) renders the chitosan-GP system more turbid and prone to precipitation or heterogenous gelation.

**Table 6**

**Composition of liquid components supplemented with a second source of water-soluble phosphate.**

5

Composition	pH	Chitosan:GP (% w/v)	[Phosphate] mol/l	Gelling time (initial)	Precipitation
10 ml chitosan-GP	7.0	4.0:8.2	0	30 minutes	No
9 ml chitosan-GP + 1 ml phosphate (3)	6.7	3.6:7.4	0.05		More turbid
8 ml chitosan-GP + 2 ml phosphate (3)	6.7	3.2:6.6	0.1		Highly turbid; Gels heterogeneo usly

**d) Addition of a water-soluble Carbonate source to the Liquid Component**

10

The chitosan-GP solutions were prepared as in Example 1c.

A carbonate solution was prepared from a 0.2 mol/l solution of monosodium carbonate, having a pH of 8.16 at 21°C. Equal volumes (50:50) of the diluted (1/10) to concentrated carbonate solution and chitosan-GP solution were mixed homogeneously. A carbonate (0.1 mol/l) + phosphate (0.1 mol/l) solution was also used. The pH was measured, and the solutions were disposed at 37°C for gelation, all signs of precipitation being noted (see Table 7). Chitosan-GP systems are fully compatible with carbonate buffer such as a 5 mM phosphate/carbonate buffer at a pH of 8.8. But, this compatibility will decline for too high carbonate contents.

15

20

**Table 7**

**Composition of liquid components supplemented with a source of water-soluble carbonate.**

Composition	pH	[Carbonate] mol/l	Gelling time (initial)	Precipitation/Remarks
10 ml chitosan-GP	7.0	0	30 minutes	No
8 ml chitosan-GP + 2 ml carbonate	7.0	0.04	30 minutes	No
6 ml chitosan-GP + 4 ml carbonate	7.1	0.08	30 minutes	No. Some sparse complexes may occur by the surface.
5 ml chitosan-GP + 5 ml carbonate	7.1	0.10	30 minutes	No. Fibrous complexes occur sparsely at the upper level.
5 ml chitosan-GP + 5 ml carbonate 1:10	6.95	0.01	30 minutes	No

5 All presented concentrations (% , mol/l...) are final.

In Example 1d, liquid chitosan-GP formulations supplemented with water-soluble phosphates and/or carbonates present a reduced shelf-life and stability, even at low temperatures (4°C). This is dose-dependent, the more concentrated is the content of water-soluble phosphate and/or carbonate in the chitosan-GP formulation, the less stable is the resulting solution.

#### **e) Typical preparation of sterile Liquid Component**

##### **Sterilization method of Liquid components**

15 Sterilization of liquid component can be performed during the preparation and processing of the chitosan-GP solutions. The chitosan-GP systems can not be sterilized by energizing methods, due to unexpected and undesirable thermal gelling. Chitosan solutions (no GP) and GP solutions (no chitosan) are to be sterilized separately. GP aqueous solutions have no viscosity and are sterilized by filtration in all cases, without any noticeable adverse effects. Chitosan materials (solid) or chitosan solutions (acidic aqueous medium) must be sterilized while avoiding the occurrence of significant degradative effects on both chitosan polymer and chitosan-GP systems.

25 The preferred methods of sterilization of chitosan comprises autoclaving chitosan powder or solution, and gamma-irradiation of nonliquid chitosan material (including frozen solution)(see Tablee 8).

**Table 8**  
**Effects of sterilizing on Chitosan-GP systems (no additive)**

Chitosan sterilization	Effects on chitosan biopolymer	Effect of thermo-gelling Chitosan-GP systems.
Autoclaving of chitosan solutions in acidic media.	Controlled modification;	Gels (slightly decreased gelling rate).
Autoclaving of chitosan suspension in water.	Controlled modification;	Modify gel properties.
Irradiation of chitosan materials (4°C).	Controlled modification;	Gels (slightly decreased gelling rate).
Irradiation of chitosan materials (20°C).	Stronger modification;	Gels (affect the gelling rate).
Irradiation of chitosan solutions (-80°C).	No to nonsignificant modification;	Gels (no changes).

5

**EXAMPLE II**

**Incorporation of Bone Healing and/or Inductive Agents into the Liquid Component**

**a) Incorporation and compatibility of whole blood and bone marrow in the Liquid of Mineral-Polymer Composites.**

10           Blood component or whole blood from patient to be treated is often used to mix with bone filling materials (Ex: calcium phosphate or carbonate granules mixed with autologous blood).

15           A fresh blood sample was collected from auricular arteries and from subchondral defects of rabbits. Blood was admixed with the liquid component of the mineral-polymer composites (chitosan-GP). Bone marrow was collected in rabbit from tibia and femur, and used fresh. Upon complete and rapid homogenization, the gelling of this blood containing liquid component was monitored at 37°C by rheological analyses (Fig. 17). The gel has an elastic modulus (G') about 800-1000 Pa after 9 hrs at  
20   37°C.

          This demonstrated that the thermo-gelling of the liquid component is not affected by blood or marrow and enables to incorporate



blood and its components, and bone marrow, within the thermo-gelling hybrid formulation.

**b) Incorporation and Release of Proteins (albumin) in the Liquid and/or Solid Component of Mineral-Polymer Composites**

5           Bovine serum albumin (BSA) was the protein used to model the protein incorporation and release from hybrid formulations, either by the liquid and/or solid component.

          Incorporation of BSA in the liquid component was performed by incorporating directly the BSA to the liquid component formulation. Using a  
10   2-syringe procedure, a chitosan solution and a glycerophosphate solution are admixed homogeneously, then the chitosan-GP solution is similarly admixed with a BSA in PBS (x1) solution. The final chitosan content in these gels were 1.44, 1.8 and 2.16% w/v. The final BSA content in these gels was 250 µg/ml. Gels are molded in petri dishes (constant surface  
15   area) (37°C, 1 h), then covered with 10 ml of PBS (x1). At the desired time, a 1000 µl solution specimen is collected for titrating the BSA content, and replaced by 1000 µl of fresh PBS solution. The BSA content is determined spectrophotometrically by using a Coomassie Plus Protein assay (Pierce). The BSA released from the chitosan-GP gels is determined at 1, 3, 6, 24,  
20   48h, 4, 6 days, etc. The BSA release from chitosan-GP gels is rapid, and by 24 hrs, at least 50% of the BSA is totally released from the gels. Incorporation of BSA in the solid component was performed by contacting Biphasic Calcium Phosphate granules (2 sizes : < 150 µm, 150-250 µm) with Bovine Serum Albumin (BSA) solutions. The BCP/BSA weight ratio  
25   was 50 mg of BCP for 500, 1000 or 2500 µg of BSA. Initial BSA solutions were prepared in Phosphate Buffered Solution (PBS x1) at BSA concentrations about 1, 2 or 5 mg/ml. A 500 µl of BSA solution was poured onto 50 mg of the BCP granules. Adsorptions were performed in centrifugation filters (Nanosep MF Microconcentrator) with a filter size of  
30   0.45 µm. Adsorption was done at 37°C for 24 hrs. Following adsorption, BCP granules were collected by ultracentrifugation for 10 minutes at 13000 rpm. The remaining BSA solution is collected. BCP granules were disposed in cell culture inserts (0.4 µm filter) of a 24-well plate, and covered with 1.5 ml of PBS (x1). At the desired time, a 500 µl solution  
35   specimen is collected for titrating the BSA content, and replaced by 500 µl of fresh PBS solution. The BSA content is determined

spectrophotometrically by using a Coomassie Plus Protein assay (Pierce). The BSA released from the BCP granules is determined at 1, 3, 6, 24, 48h, 4, 6 days, etc. The BSA release from BCP granules is progressive.

The BSA releases are equivalent for both sizes, and correspond to a total release about 40 micrograms after 700 hours (20 micrograms after 200 hours).

**c) Incorporation and Release of Bone Proteins (BP) in the Liquid Component of Mineral-Polymer Composite.**

The osteogenic agent was a bone protein (BP), in fact a pool of bone morphogenic proteins that were solubilized in an acidic aqueous environment. The chitosan-GP aqueous solution was prepared as described in Example 1. A BP solution was made by dissolving the proteins in a 0.01M HCl (6.0 mg/ml). Three volumes of the BP solution were sampled, and carefully admixed to chitosan-GP solutions to give clear homogeneous chitosan-GP + BP compositions having distinct contents in proteins. The volume of all prepared compositions was completed with sterile water to 12.5 ml as required. All operations were performed at 4°C under sterile conditions. The final BP content of the three compositions was 33, 100 and 330 µg/ml. Gel formation of all BP containing compositions was reached within few minutes at 37°C. The incorporation of BPs did not interfere with the gel formation. Gelled chitosan-GP/BP samples were tested *in vitro* by activity/release assays, and evaluated *in vivo* by a rodent subcutaneous assay. A rodent subcutaneous assay was used: Long-Evans rats (20) were anesthetized with sodium pentobarbital (400 µg). Gel-containing samples (200 µl) were injected sub-cutaneously in the absence of an incision. The gel formed a sphere structure. Each group contained 5 animals. The gel compositions were compared using variable BP doses (0, 10, 30 µg). The *in vivo* subcutaneous assay demonstrates that the BP is active in the chitosan-GP formulation, thus leading to induction of bone and cartilage neo-tissues.

Bone healing factors that are useful for fracture healing were selected as representative bone healing agents to be incorporated into the liquid component.

**c) Incorporation and Release of Fibroblast Growth Factor (FGF) in the Liquid Component of Mineral-Polymer Composite**

Fibroblast growth factor (basic, bFGF) was used here as a Growth Factor member of the TGF- $\beta$  GF family to be incorporated in the liquid component and hybrid materials. bFGF and bFGF with Heparin were added to the chitosan-GP solutions, bFGF and bFGF/Heparin alone being used as controls. Heparin in the chitosan-GP solution was used at 10  $\mu$ g/mL while bFGF was at 1  $\mu$ g/mL. Chitosan-GP (1 mL) solutions were disposed in dishes, with PBS and 50  $\mu$ g/mL bovine serum albumin, at 37°C. A 1 mL of the medium was collected at 0, 6, 24, 48, and 72 hours. The bFGF is quantified by ELISA (Quantikine FGF basic immunoassay). The bFGF in Chitosan-GP gels (no heparin) is mainly released by 24 hrs. When incubated with heparin, bFGF (+ heparin) remained within chitosan-GP gels, and the release is clearly slowed down.

Additionally to the liquid component, bFGF and other GFs can be immobilized by the way of the solid component, or incorporated directly in the hybrid compositions.

**d) Incorporation of Human Demineralized Bone Powder (HDBP) to the Mineral-Polymer Composite.**

Demineralized bone powder (DBP) is a demineralized bone matrix (DBM) material transformed into solid powder, and is composed of the non-mineral non-living organic bone components (collagen, bone proteins...). Demineralized bone matrix is osteoinductive. A cortical demineralized bone powder (CDBP) (Community Tissue Services, OH & Implants, NY, USA) from human allografts was selected for typical examples. It is an allogenic cortical demineralized bone matrix that has been crushed in particles about 0.3-0.5 mm in size. CDBP was sterilized by irradiation and freeze-dried. As for allografts, CDBP was tested negative for HBsAG, anti-HBc, anti-HCV, STS, HIV 1/2, HTLV-I and HIV-1 antigen. A chitosan-GP formulation basis was obtained first by preparing a 2.3% w/v chitosan (84% deacetylation) in 0.10M HCl solution, and then by admixing the desired amount of a 55% w/v disodium glycerophosphate in distilled water solution. Final concentrations in the clear liquid chitosan-GP formulation were around 1.8-2.0% w/v chitosan and 8.0% w/v glycerophosphate.

CDBP was incorporated in a solid state to the chitosan-GP solution, thus resulting in a CDBP in chitosan-GP suspension. Loading of chitosan-GP with CDBP (Impladent Ltd., NY, USA) was determined by initial solid to liquid weight or volume ratio. The chitosan-GP/CDBP compositions were gelled at 37°C, entrapping homogeneously the CDBP.

### **EXAMPLE III**

#### **Self-forming hybrid composition and material**

Different calcium phosphate materials were used to form self-forming (gelling) hybrid compositions and materials (Fig. 1). All selected calcium phosphates were recognized (clinically) as being osteoconductive. Table 9 gives the corresponding compositions and S/L ratios.

**Table 9**

#### **Corresponding Compositions And S/L Ratios**

Liquid Component	Chitosan-GP	Chitosan-GP	chitosan-GP	chitosan-GP	Chitosan-GP	chitosan-GP
Solid Component	Durapatite ( $< 125 \mu\text{m}$ ) (212-250 $\mu\text{m}$ )	$\beta$ -TCP	HA Resorb (300-400 $\mu\text{m}$ )	Apafill-G (100-400 $\mu\text{m}$ )	Coralina (400-800 $\mu\text{m}$ )	BCP
Composition	HA	$\beta$ -TCP	Synthetic HA	HA	Coralline HA	HAP/ $\beta$ -TCP
S/L ratio (load)	0:10-7:10	0:10-7:10	0:10-3:10	0:10-3:10	0:10-3:10	0:10-5:10

#### **a) Composition with Durapatite hydroxyapatite**

A chitosan-GP formulation basis was obtained first by preparing a 2.3% w/v chitosan (84% deacetylation) in 0.1M HCl solution, and then by admixing the desired amount of a 55% w/v disodium glycerophosphate in distilled water solution. Final concentrations in the clear liquid chitosan-GP formulation were 2.0% w/v chitosan and 8.0% w/v glycerophosphate. Loading in solid Durapatite particles was determined by solid to liquid weight ratio, e.g. 1:10, 3:10 & 5:10 S/L loading ratio. Typical experiments were conducted with a 3:10 Ca-P loading (Table 9).

Durapatite particles were selected by sieving in 0-125  $\mu\text{m}$  diameter, 212-250  $\mu\text{m}$  diameter and  $> 250 \mu\text{m}$  diameter size groups.

Homogeneous mixing of Ca-P ceramics in chitosan-GP was achieved by manual kneading and magnetic stirring during 2-3 hours. The resulting slurries generally show greater extrudability or flowing properties which is observed by the viscosimetric analysis. It shows that higher shear rates  
5 result in lowering the viscosity ( $< 10,000$  mPa.s), the higher viscosity being observed at low shear rates (up to  $60,000$  mPa.s).

All hybrid compositions rheologically demonstrate a self-gelling behaviour that is typical of the liquid component property. In nearly all cases, the Durapatite loading induces more elevated viscoelastic  
10 parameters such as typically the elastic and viscous moduli ( $G'$  and  $G''$ ). Durapatite ( $212-250$   $\mu\text{m}$ ) incorporation seems to be the most efficient in improving  $G'$  and  $G''$ . To some extent, the  $G'$  and  $G''$  increasing rates seems to be linearly correlated with the S/L ratio. Mechanical performances expressed by compression modulus (transient and  
15 equilibrium) are not markedly enhanced by the Durapatite incorporation although 3/10 to 5/10 loading seemed to provide hybrid gels with higher compressive strengths (Figs. 2, 4, 5, 7, 8, and 12).

**b) Hybrid materials with tricalcium phosphate (TCP)**

The selected chitosan-GP solution was the same as previously  
20 described in Example 3a above. Loading in tricalcium phosphate (TCP) particles as determined by solid to liquid weight ratio varied, (1:10, 3:10 & 5:10 S/L). Typical experiments were conducted with a 3:10 Ca-P loading (Table 9). All chitosan-GP/TCP compositions were monitored by viscosimetric and rheologic methods, and formed solid hybrid gels at  $37^\circ\text{C}$   
25 (Figs. 3 and 9).

**c) Hybrid materials with synthetic nonceramic hydroxyapatite (HA Resorb Osteogen)**

The selected chitosan-GP solution was the same as previously described in Example 3a above. Loading in synthetic nonceramic  
30 hydroxyapatite HA resorb Osteogen (Impladent Ltd., NY, USA) particles was 1:10 & 3:10 S/L (Table 9). Osteogen hydroxapatite is a dental hydroxyapatite material, about  $300-400$   $\mu\text{m}$  in size. All chitosan-GP/Osteogen compositions were monitored by viscosimetric and rheologic methods, and formed solid hybrid gels at  $37^\circ\text{C}$  (Figs. 10 and 13).

**d) Hybrid materials with hydroxyapatite ceramic dense granules (Apafill-G)**

The selected chitosan-GP solution was the same as previously described in Example 3a above. Loading in dense Apafill-G hydroxyapatite (BIOMAT, Habana, Cuba) particles was 3:10 S/L (Table 9). Apafill-G hydroxyapatite is an orthopaedic and dental hydroxyapatite material, about 100-400  $\mu\text{m}$  in size. All chitosan-GP/Apafill compositions were monitored by viscosimetric and rheologic methods, and formed solid hybrid gels at 37°C.

**e) Hybrid materials with coralline hydroxyapatite granules (Coralina)**

The selected chitosan-GP solution was the same as previously described in Example 3a above. Loading in Coralina hydroxyapatite (Laboratorio de Biomateriales, Cuba) particles was 3:10 S/L (Table 9). Corallina hydroxyapatite is produced from marine coral materials, and is used as an orthopaedic and dental nonresorbable hydroxyapatite material, about 400-2400  $\mu\text{m}$  in size. All chitosan-GP/Corallina compositions were monitored by viscosimetric and rheologic methods, and formed solid hybrid gels at 37°C.

**f) Hybrid materials with Biphasic Calcium Phosphate (BCP)**

The selected chitosan-GP solution was the same as previously described in Example 3a above. Particles of HAP/ $\beta$ -TCP (35-40:65-60) biphasic calcium phosphate (Clarkson Chromatographic Products Inc., PA, USA; and Teknimed, Vic-en-Bigorre, FRANCE) were loaded at a solid to liquid weight ratio from 1:10 to 5:10 (Table 9). BCP is about 40:60 (wt.) powder mixture of a hydroxyapatite and a  $\beta$ -tricalcium phosphate. All chitosan-GP/BCP compositions were monitored by viscosimetric and rheologic methods, and formed solid hybrid gels at 37°C. All materials from examples 2a to 2f gelled into solid hybrid gels or showed endothermic signs of gelation for loadings ranging typically from 0/10 to 10/10, and preferably from 0/10 to 7/10 (0 to 1 g/mL). Ideal Ca-P loading (injectability, gel uniformity...) seemed generally to be around 3/10 to 5/10, however changed slightly with the Ca-P chemical nature and granulometry (size, density) (Figs. 11, 14, 15, and 16).

**g) Osteoinductive bone hybrid compositions and bio-materials**

A self-forming bone hybrid composition and bio-material was composed of chitosan-GP, hydroxyapatite and CDBP. The chitosan-GP

was prepared to 1.5% (w/v) of chitosan and 8.2% (w/v) of GP. A 1.0 ml of human CDBP powder was admixed with a 10 ml of chitosan-GP solution, then loaded with 3.0 grams of Durapatite particles (200-250  $\mu$ m).

- 5 The flowable resulting suspension was carefully mixed and homogenized (manually and mechanically). Gel formation was reached and controlled at 37°C.

#### **EXAMPLE IV**

##### ***In vivo* study of bone compositions, bio-materials and related components**

10

##### **a) Subcutaneous injections of pure Liquid Components**

- Liquid phases consisting in aqueous thermo-gelling solutions of chitosan (2.0% w/v) and glycerophosphate (8.2% w/v) were prepared sterile, by autoclaving chitosan solutions and filtering glycerophosphate solutions. Adult albino Sprague Dawley rats were anesthezied for 40 minutes by intra-peritoneal injections of 2.7 mL/kg of a Hypnorm® and Midazolal (Versed®) mixture, made by mixing 1 ml of Hypnorm® and 1 ml of 5 mg/ml Midazolal with 2 ml of sterile water. Sub-cutaneous injections about 0.2 ml/injections were performed on each side of the spine mid-line.
- 15 20 The animals were returned to normal activities. Sacrifices by carbon dioxide overdose were done at 3, 7, 14, 21, 30, 60, 90 and 120 days. Implants were collected, macroscopically examined and analyzed by histology (H&E staining on thin slides). Gross observations showed that chitosan-GP systems formed *in situ* cohesive matrices having spherical to ovoid shapes. Implants did not travel subcutaneously, at any times. Histological analyses showed a reduced acute inflammation, and a moderate chronic inflammation that was associated to the implant erosion. Chitosan-GP systems were found to give cohesive, shaped, and resident implants with a moderate associated inflammatory reactions. Erosion *in situ* of the chitosan-GP implants was progressive and peripheric. The implants and materials resided *in situ* for 120 days.

25

30

##### **b) Intramuscular injections of pure Liquid Components**

- Intra-muscular injections in rats were performed with the materials and protocols that were described in Example 4a, except that injections were intramuscularly in the muscular tissues of lower limbs. Gross observations showed that chitosan-GP systems formed *in situ*
- 35

cohesive matrices having spherical to ovoid shapes. Implants did not travel subcutaneously, at any times. Histological analyses showed a reduced acute inflammation, and a moderate chronic inflammation that was associated to the implant erosion. Chitosan-GP systems were found to give cohesive, shaped, and resident implants with a moderate associated inflammatory reactions. Erosion *in situ* of the chitosan-GP implants was progressive and peripheric. The implants and materials resided *in situ* for 80 days.

**c) Osseous injections of pure Liquid Components**

Osseous injections in a rat trancondylar model were performed with the materials and protocols described in Example 4a, except that thermo-gelling materials were disposed in transcondylar cylindrical defects.

Gross observations showed that chitosan-GP systems formed *in situ* cohesive matrices. Histological analyses showed a reduced acute inflammation, and a moderate chronic inflammation that was associated to the implant erosion.

**d) Subcutaneous Injections of Hybrid Materials with HA Resorb**

Subcutaneous injections in rats were performed with the materials and protocols that were described in Example 4a. The hybrid compositions were aqueous, and containing 2.0% w/v of chitosan, 8.2% w/v of glycerophosphate, and 30% w/v (about 3 grs crystal per 10 grs solution) of HA Resorb synthetic hydroxyapatite crystals. Chitosan-GP was prepared sterile (chitosan autoclaved; GP filtered 0.22  $\mu$ m). HA Resorb crystals were sterile at admixing in the solution. Each injection was about 200  $\mu$ l in volume. Hybrid implants formed *in situ* were cohesive, infiltrated and did not travel *in situ*. The implants remained in place for a period of at least 80 days.

While the invention has been described in connection with specific embodiments thereof, it will be understood that it is capable of further modifications and this application is intended to cover any variations, uses, or adaptations of the invention following, in general, the principles of the invention and including such departures from the present disclosure as come within known or customary practice within the art to which the invention pertains and as may be applied to the essential



features hereinbefore set forth, and as follows in the scope of the appended claims.

**WHAT IS CLAIMED IS:**

1. An *in situ* self-forming mineral-polymer hybrid composition comprising:

- a) a water-based and thermo-gelling liquid component comprising at least one hydrosoluble cationic polymer, one organic mono-phosphate source, and optionally one water-soluble organic mono-sulfonate, mono-sulfate or mono-carboxylate source; said liquid component having a pH between 6.5 and 7.4; and
- b) a water non-soluble solid component comprising at least one of calcium, fluoride, strontium, carbonate and phosphate salts,

wherein said liquid component and solid component are admixed together intimately to form a non-hardening thermo-gelling hybrid composition; said hybrid composition gelling at the body temperature.

2. A composition according to claim 1, wherein said liquid component is prepared from organic and/or inorganic acids, including malic acid, propionic acid, phosphoric acid, organophosphoric acid, glycerophosphoric acid, lactic acid, hydrochloric acid, ascorbic acid, formic acid, acetic acid, and the like.

3. A composition according to claim 1, wherein said polymer is a cationic hydrophilic polysaccharide bearing amino groups, including partially-deacetylated chitosans, and pure chitosan.

4. A composition according to claim 1, wherein said polymer is a partially-deacetylated chitosan with a degree of deacetylation between 30 and 99%.

5. A composition according to claim 1, wherein said liquid component comprises a second soluble polymer selected among

polypeptides, cellulose and synthetic polymers, including collagen, methyl cellulose, hydroxyethyl cellulose, hydroxypropyl cellulose, hydroxyethyl propylcellulose, hydroxymethyl propylcellulose, poly(ethylene oxide), poly(propylene oxide), poly(ethylene glycol), poly(vinyl pyrrolidone) poly(vinyl alcohol), or derivatives thereof, or a mixture thereof.

6. A composition according to claim 1, wherein said organic mono-phosphate, mono-sulfonate, mono-sulfate and mono-carboxylate sources of said liquid component have a basic character and a pKa between 6.0 and 7.4.

7. A composition according to claim 1, wherein said organic mono-phosphate source is selected from the group consisting of  $\text{Na}_2\text{PO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{Fe}_2\text{PO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{K}_2\text{PO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{MgPO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{MnPO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{Ca}_2\text{PO}_4\text{C}_3\text{H}_5(\text{OH})_2$ ,  $\text{Na}_2\text{PO}_7\text{C}_3\text{H}_7$ ,  $\text{Na}_2\text{PO}_7\text{C}_4\text{H}_7$ ,  $\text{K}_2\text{PO}_7\text{C}_4\text{H}_7$ ,  $\text{NaPO}_7\text{C}_4\text{H}_8$ ,  $\text{K}_2\text{PO}_7\text{C}_4\text{H}_8$ ,  $\text{Na}_2\text{PO}_8\text{C}_5\text{H}_9$ ,  $\text{K}_2\text{PO}_8\text{C}_5\text{H}_9$ ,  $\text{NaPO}_8\text{C}_5\text{H}_{10}$ ,  $\text{KPO}_8\text{C}_5\text{H}_{10}$ ,  $\text{Na}_2\text{PO}_9\text{C}_6\text{H}_{11}$ ,  $\text{NaPO}_9\text{C}_6\text{H}_{12}$ ,  $\text{K}_2\text{PO}_9\text{C}_6\text{H}_{11}$ ,  $\text{KPO}_9\text{C}_6\text{H}_{12}$ ,  $\text{Na}_2\text{PO}_8\text{C}_6\text{H}_{13}$ ,  $\text{K}_2\text{PO}_8\text{C}_6\text{H}_{13}$ ,  $\text{NaPO}_8\text{C}_6\text{H}_{14}$ ,  $\text{KPO}_8\text{C}_6\text{H}_{14}$ ,  $\text{Na}_2\text{PO}_9\text{C}_6\text{H}_{12}$ ,  $\text{K}_2\text{PO}_9\text{C}_6\text{H}_{12}$ ,  $\text{NaPO}_9\text{C}_6\text{H}_{13}$ ,  $\text{KPO}_9\text{C}_6\text{H}_{13}$ ,  $\text{Na}_2\text{PO}_8\text{C}_{10}\text{H}_{11}$ ,  $\text{K}_2\text{PO}_8\text{C}_{10}\text{H}_{11}$ ,  $\text{NaPO}_8\text{C}_{10}\text{H}_{12}$ , and  $\text{KPO}_8\text{C}_{10}\text{H}_{12}$  and the like, and derivatives, or mixtures thereof.

8. A composition according to claim 1, wherein said organic mono-phosphate source is alpha-glycerophosphate, beta-glycerophosphate, glucose-1-phosphate, glucose-6-phosphate, fructose-1-phosphate, or fructose-6-phosphate salt, or a mixture thereof.

9. A composition according to claim 1, wherein said organic mono-sulfonate source is N-[carbamoylmethyl]-2-aminoethanesulfonate (ACES), N,N-bis[2-hydroxyethyl]-2-aminoethane-sulfonate (BES), 3-[N,N-bis(2-hydroxyethyl)amino]-2-hydroxypropane-sulfonate (DIPSO), N-[2-

hydroxyethyl]piperazine-N'-3-propanesulfonate (HEPES), 2-[N-morpholino]ethane-sulfonate (MES), 4-[N-morpholino]-butanesulfonate (MOBS), 3-[N-morpholino]-2-hydroxypropanesulfonate (MOPSO), or N-tris[hydroxymethyl] methyl-2-aminoethanesulfonate (TES), or the like, or a mixture thereof.

10. A composition according to claim 1, wherein said liquid component further comprises bis[2-hydroxyethyl]iminotris[hydroxymethyl]methane (BIS-TRIS), or Tris[hydroxymethyl]aminomethane (TRIZMA), or the like, or a mixture thereof.

11. A composition according to claim 1, wherein said liquid component further comprises amino-acid residues or sequences, including histidine (HIS) or lysine (LYS) residues or sequences.

12. A composition according to claim 1, wherein said liquid component comprises organic polyol ingredient including sugar-polyols, saccharide-polyols and glycols, such as glycerol, mannitol, sorbitol, ethylene glycol oligomers, propylene glycol oligomers, fructose, glucose, maltose, and the like.

13. A composition according to claim 1, wherein said liquid component comprises water-soluble phosphate or carbonate salts, or a mixture thereof.

14. A composition according to claim 1, wherein said liquid component has an intrinsic viscosity ranging between 5 and 100,000 mPa.s at 21°C.

15. A composition according to claim 1, wherein said liquid component forms a homogeneous solid aqueous gel-like material at a temperature between 25 and 60°C.

16. A composition according to claim 1, wherein said solid component comprises calcium phosphate, calcium sulfate, calcium carbonate, calcium titanate, calcium acetate, calcium glycerophosphate, calcium gluconate, calcium propionate compounds, or the like, or a mixture thereof.

17. A composition according to claim 1, wherein said solid component comprises at least one calcium phosphate selected from the group consisting of  $\text{Ca}(\text{H}_2\text{PO}_4)_2 \cdot \text{H}_2\text{O}$ ,  $\text{CaHPO}_4 \cdot 2\text{H}_2\text{O}$ ,  $\text{CaHPO}_4$ ,  $\text{CaZn}_3(\text{PO}_4)_2$ ,  $\text{CaZnPO}_4$ ,  $\text{CaNaPO}_4$ ,  $\text{Ca}_2\text{PO}_4\text{Cl}$ ,  $\alpha\text{-Ca}_3(\text{PO}_4)_2$ ,  $\beta\text{-Ca}_3(\text{PO}_4)_2$ ,  $\text{Ca}_3(\text{PO}_4)_2 \cdot \text{H}_2\text{O}$ ,  $\text{Ca}_4(\text{PO}_4)_2\text{O}$ ,  $\text{Ca}_8\text{H}_2(\text{PO}_4)_6 \cdot 5\text{H}_2\text{O}$ ,  $\text{Ca}_9(\text{HPO}_4)(\text{PO}_4)_5\text{OH}$ ,  $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_{2-2x}\text{O}_x$ , and  $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$ , and derivatives thereof.

18. A composition according to claim 1, wherein said solid component comprises hydroxyapatite and tricalcium phosphate.

19. A composition according to claim 1, wherein said solid component comprises hydroxyapatite and alpha- or beta-tricalcium phosphate, or any combination thereof.

20. A composition according to claim 1, wherein said solid component comprises from 5 to 95% wt. of hydroxyapatite and 90 to 5% wt. of alpha- or beta-tricalcium phosphate.

21. A composition according to claim 1, wherein said solid component comprises from 45-65% wt. of hydroxyapatite and 35-55% wt. of alpha- or beta-tricalcium phosphate.

22. A composition according to claim 1, wherein said solid component comprises natural mineral components including hard-tissue, enamel or dental apatite, coral or nacre.

23. A composition according to claim 1, wherein said solid component comprises additionally a carbonate compound selected from  $\text{Na}_2\text{CO}_3$ ,  $\text{CaCO}_3$ ,  $\text{K}_2\text{CO}_3$ ,  $\text{MgCO}_3$ ,  $\text{ZnCO}_3$ ,  $\text{Ca}_9\text{K}(\text{PO}_4)_5(\text{CO}_3)_2$ ,  $\text{Ca}_{8.5}\text{Na}_{1.5}(\text{PO}_4)_{4.5}(\text{CO}_3)_{2.5}$ ,  $\text{Ca}_9(\text{PO}_4)_{4.5}(\text{CO}_3)_{1.5}$ , and the like.

24. A composition according to claim 1, wherein said solid component comprises additionally a carbonated calcium phosphate.

25. A composition according to claim 1, wherein said solid component comprises additionally a fluoride compound selected from  $\text{NaF}$ ,  $\text{Na}_2\text{Si}_6\text{F}$ ,  $\text{KF}$ ,  $\text{KSi}_6\text{F}$ ,  $\text{CaF}_2$ ,  $\text{MgF}_2$ ,  $\text{ZnF}_2$ , sodium fluorophosphates, and the like.

26. A composition according to claim 1, wherein said solid component comprises additionally a fluorinated calcium phosphate.

27. A composition according to claim 1, wherein said solid component comprises additionally a strontium compound.

28. A composition according to claim 1, wherein said solid component comprises additionally a strontium containing calcium phosphate.

29. A composition according to claim 1, wherein said solid component comprises natural or synthetic solid components including mineral or ceramic materials, bioglasses, polymeric or biopolymeric materials, and the like.

30. A composition according to claim 1, wherein said solid component and said liquid component have a solid/liquid weight ratio between 0.05 and 2.0 g/mL.

31. A composition according to claim 1, wherein said solid component consists in dry ingredients with a size ranging from 5 to 1000 micrometers.

32. A composition according to claim 1, wherein said hybrid composition is at least partly resorbable *in situ* over time such as over a period of 18 months.

33. A composition according to claim 1, wherein said hybrid composition or liquid component or solid component is admixed with autologous materials selected from a group comprising cortical or cortico-cancellous bone, whole blood and blood components, bone marrow, cells isolated from tissues, stroma cells, or hematopoietic cells.

34. A composition according to claim 1, which further comprises osteoinductive agents selected from the group consisting of growth factors, hormones, individual osteoinductive proteins and mixtures of osteoinductive proteins.

35. A composition according to claim 1, which further comprises bone derived materials including demineralized bone matrix (DBM) or powder (DBP).

36. A composition according to claim 1, which further comprises at least one growth factor selected from the group consisting of IGF, EGF, a-FGF, b-FGF, PDGF-A, PDGF-B and TGF-beta.
37. A composition according to claim 1, which further comprises at least one bone morphogenic proteins (BMP), sialoproteins, osteonectin, osteopontin, osteocalcin, calcitonin, or a mixture thereof.
38. A composition according to claim 1, which further comprises anti-resorptive, antibiotic, antiviral, antitumor, and/or immunosuppressive agent.
39. Use of a composition according to claim 1, as a gelling composition to correct a defect, cavity or interface of a tissue, or in a body cavity, and turned *in situ* into a gel-like filling material.
40. Use of a composition according to claim 1, as a gel-like material to fulfill a defect, cavity or interface of a tissue, or in a body cavity.
41. Use of a composition according to claim 1, wherein said hybrid composition is administered and is completely self-formed in a defect, cavity or interface of one or more bones.
42. Use of a composition according to claim 1, wherein said hybrid composition is administered and completely self-formed in a defect, cavity or interface of a cortical, corticocancellous or cancellous part of a bone.
43. Use of a composition according to claim 1, wherein said hybrid composition is administered and completely self-formed in a defect, cavity or interface between tissue parts or fragments of a fractured bone.



44. Use of a composition according to claim 1, wherein said hybrid composition is administered and completely self-formed in a defect, cavity or interface at the metaphyseal or diaphyseal region of a bone.

45. Use of a composition according to claim 1, wherein said hybrid composition is administered and is completely self-formed in a defect, cavity or interface of a hyaline cartilage tissue.

46. Use of a composition according to claim 1, wherein said hybrid composition is administered and completely self-formed in a defect, cavity or interface of a fibro-cartilage tissue.

47. Use of a composition according to claim 1, wherein said hybrid composition is injected or extruded percutaneously or endoscopically into a defect, cavity or interface of a tissue or a body cavity through a cannula, catheter, trocar or needle.

48. Use of a composition according to claim 1, wherein said hybrid composition is applied and gelled during the course of an open surgical operation.

49. Use of a composition according to claim 1, wherein said hybrid composition is administered during the course of a repairing, reconstructing or replacing treatment in dental, plastic, cranio-maxillofacial or orthopaedic surgery.

50. An *in situ* self-forming mineral-polymer hybrid composition comprising:

- a) a liquid component, comprising at least 0.5% w/v of a chitosan, 2.0% w/v of a glycerophosphate; said liquid component having a pH between 6.5 and 7.4; and
- b) a solid component comprising at least one apatite and one tricalcium phosphate,

wherein said liquid component and solid component are admixed together intimately to form a non-hardening thermo-gelling hybrid composition; said hybrid composition gelling at the body temperature.

51. A composition according to claim 50, wherein said liquid component additionally comprises 0 to 10% w/v of at least one of glycerol, sorbitol, mannitol, ethylene glycol oligomers or polymers, and propylene glycol oligomers or polymers.

52. A composition according to claim 50, wherein said liquid component is admixed with autologous blood, blood component or bone marrow, said autologous blood, blood component or bone marrow being at a concentration ranging from 0 to 25% w/v.

53. A composition according to claim 50, wherein said solid component is a dry mixture of at least hydroxyapatite and beta-tricalcium phosphate.

54. A composition according to claim 50, wherein said solid component additionally comprises at least a strontium containing calcium phosphate.

55. A composition according to claim 50, wherein said solid component additionally comprises 0 to 25% w/v of dry crunched autologous spongy bone.

56. A composition according to claim 50, wherein said solid component additionally comprises 0 to 55% w/v of dry demineralized bone material.

57. A method of preparation of an *in situ* self-forming mineral-polymer hybrid composition as described in Claim 1 or 50, comprising the step of:

- a) preparing a first water-based liquid sub-component comprising at least one hydrosoluble cationic polymer, and preferably at least 0.5% w/v of a chitosan, said first sub-component being stable and stored below 10°C;
- b) preparing a second water-based liquid sub-component comprising at least one organic mono-phosphate source, and optionally one water-soluble organic mono-sulfonate, mono-sulfate or mono-carboxylate source;
- c) preparing a solid component comprising at least one of calcium, fluoride, strontium, carbonate and phosphate salts, such as apatite and one tricalcium phosphate;
- d) admixing homogeneously said second liquid sub-component with said solid component into a stable water-based dispersion, said dispersion being stable and stored at room temperature or below; and
- e) admixing said first liquid component and said stable dispersion together intimately to form a non-hardening thermo-gelling hybrid composition,

said hybrid composition having a pH between 6.5 and 7.4, being injectable, gelling at the body temperature and being applicable to any defect, cavity or anatomical structure of body's tissues.




FIG. 1A




FIG. 1B




FIG. 1C




FIG. 1D



FIG. 1E




FIG. 1F




Figure 2




FIG. 3




FIG. 4




FIG. 5







FIG. 6A

FIG. 6B





Figure 7



Free - B




Figure 9

11/19




FIG. 10




Figure - 11




Figure 12A






Fig. 12B




Figure 13




FIG. 14

17/19






FIG. 1B




FIG. 17

# INTERNATIONAL SEARCH REPORT

Intern. Appl. No.

PCT/CA 00/01492

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61L24/00 A61L24/08 A61L27/20 A61L27/24 A61L27/32  
A61L27/52 A61K9/00 A61K47/36 C08L5/08

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K A61L C08L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>WO 99 07416 A (JALAL FAYROUZ ; SELMANI AMINE (CA); BIO SYNTECH LTD (CA); CHAPUT CY) 18 February 1999 (1999-02-18)</p> <p>page 5, line 13 -page 8, last line claims (especially claim 22)</p> <p>-----</p>	<p>1-8, 12-16, 29, 30, 32, 39-49, 57</p>

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents :

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document but published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*8\* document member of the same patent family

Date of the actual completion of the international search

28 March 2001

Date of mailing of the international search report

18/04/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5618 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Thornton, S

# INTERNATIONAL SEARCH REPORT

Information on patent family members

Intern. Application No

PCT/CA 00/01492

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9907416 A	18-02-1999	AU 724878 B	05-10-2000
		AU 6915098 A	01-03-1999
		EP 1003567 A	31-05-2000
		NO 20000593 A	29-03-2000
-----			



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

THIS PAGE BLANK (USPTO)